in press

Astronomy & Astrophysics manuscript no. (will be inserted by hand later)

# RXTE all-sky slew survey. Catalog of X-ray sources at $|b|>10^\circ$

M. Revnivtsev<sup>1,2</sup>, S. Sazonov<sup>1,2</sup>, K. Jahoda<sup>3</sup>, M. Gilfanov<sup>1,2</sup>

- <sup>1</sup> Max-Planck-Institut für Astrophysik, Karl-Schwarzschild-Str. 1, D-85740 Garching bei München, Germany
- <sup>2</sup> Space Research Institute, Russian Academy of Sciences, Profsoyuznaya 84/32, 117997 Moscow, Russia
- <sup>3</sup> Laboratory for High Energy Astrophysics, Code 662, Goddard Space Flight Center, Greenbelt, MD 20771, USA

Abstract. We report results of a serendipitous hard X-ray (3–20 keV), nearly all-sky ( $|b| > 10^{\circ}$ ) survey based on RXTE/PCA observations performed during satellite reorientations in 1996–2002. The survey is 80% (90%) complete to a  $4\sigma$  limiting flux of  $\approx 1.8$  (2.5)  $\times 10^{-11}$  erg s<sup>-1</sup> cm<sup>-2</sup> in the 3–20 keV band. The achieved sensitivity in the 3–8 keV and 8–20 keV subbands is similar to and an order of magnitude higher than that of the previously record HEAO-1 A1 and HEAO-1 A4 all-sky surveys, respectively. A combined  $7 \times 10^3$  sq. deg area of the sky is sampled to flux levels below  $10^{-11}$  erg s<sup>-1</sup> cm<sup>-2</sup> (3–20 keV). In total 294 sources are detected and localized to better than 1 deg. 236 (80%) of these can be confidently associated with a known astrophysical object; another 22 likely result from the superposition of 2 or 3 closely located known sources. 35 detected sources remain unidentified, although for 12 of these we report a likely soft X-ray counterpart from the ROSAT all-sky survey bright source catalog. Of the reliably identified sources, 63 have local origin (Milky Way, LMC or SMC), 64 are clusters of galaxies and 100 are active galactic nuclei (AGN). The fact that the unidentified X-ray sources have hard spectra suggests that the majority of them are AGN, including highly obscured ones ( $N_{\rm H} > 10^{23}$  cm<sup>-2</sup>). For the first time we present a log N-log S diagram for extragalactic sources above  $4 \times 10^{-12}$  erg s<sup>-1</sup> cm<sup>-2</sup> at 8-20 keV.

Key words. cosmology:observations - diffuse radiation - X-rays:general

# 1. Introduction

The deep surveys performed recently in the standard X-ray band (2-10 keV) with the Chandra and XMM-Newton observatories (e.g. Brandt et al. 2001, Hasinger et al. 2001) have convincingly proved the extragalactic origin of the cosmic X-ray background (CXB). Hundreds of point sources detected in these surveys provide us with a wealth of information about the distant Universe. However, due to the very small sky coverage of these surveys, they are practically unsuitable for the study of the local Universe ( $z \lesssim 0.3$ ). Medium-sensitivity  $(10^{-13}-10^{-12} \text{ erg cm}^{-2} \text{ s}^{-1}) \text{ X-ray surveys, such as those}$ performed with ASCA (Ueda et al. 1999) and BeppoSAX (Giommi et al. 2000), cover larger areas of the sky (≲ 10<sup>2</sup> sq. deg) but also cannot sample efficiently the Universe within ~ 500 Mpc of us. In this regard, the results of the soft X-ray (< 2 keV) all-sky survey carried out with the ROSAT observatory (e.g. Voges et al. 1999) are extremely important, but these cannot be directly extrapolated into the > 2 keV energy band. Therefore, our knowledge of the statistical properties of the local population of hard X-ray sources still rests largely on the snapshot of the whole sky taken in the 2-100 keV energy band more than 20 years ago by the different experiments on

board the HEAO-1 observatory, A1 (Wood et al. 1984), A2 (Piccinotti et al. 1982) and A4 (Levine et al. 1984). It is only now that we have the possibility to undertake a new hard X-ray (3–20 keV) all-sky survey at similar (below 10 keV) and much better (above 10 keV) sensitivity provided by the RXTE observatory.

The Rossi X-ray Timing Explorer (RXTE, Bradt et al. 1993) was launched at the end of 1995 and has now been successfully operating for more than 7 years. The mission was primarily designed to study the variability of X-ray sources on time scales from sub-milliseconds to years (e.g. Swank et al. 1995). The maneuvering capability of the satellite combined with the high photon throughput of its main detector (PCA) has also made it possible to carry out a series of Galactic Bulge scans aimed at the detection of new transient sources and following the long-term behavior of known X-ray sources (Markwardt et al. 2000). In addition, over its still continuing life time, RXTE/PCA has collected a large amount of data of slew observations covering almost the entire sky. In the current work we use these data to perform an all-sky survey in the 3-20 keV energy band. The relatively narrow field of view of the PCA instrument allows us to localize sources to better than 1 deg and thus effectively avoid source confusion after we restrict our consideration to Galactic latitudes  $|b| > 10^{\circ}$ .




Fig. 1. Effect of high voltage variations on the PCU effective area. Shown is the effective area of PCU2 on Apr. 17,1996 (epoch 3), Dec. 06,1999 (epoch 4) and June 15,2002 (epoch 5)

We note that the RXTE/PCA slew data have previously been utilized to reconstruct the average spectrum of the CXB (Revnivtsev et al. 2003).

#### 2. Data analysis

#### 2.1. Data selection and reduction

One of the main instruments aboard the RXTE observatory is the Proportional Counter Array (PCA), an X-ray spectrometer. It consists of 5 nearly identical Proportional Counter Units (PCUs). Each PCU is sensitive to photons with energies 2–60 keV, reaching the maximum effective area at  $\sim 7~\rm keV$ . For an X-ray source with a Crab-like spectrum, most of the counts would be detected at energies below 10 keV. However, a significant effective area,  $300-500~\rm cm^2$  per PCU, is also available in the 10–20 keV energy band.

The slewing rate of the RXTE satellite between targets is <0.1 deg s<sup>-1</sup>. One can make use of data collected during such reorientations to build maps of the sky. We have utilized the slew parts of all RXTE observations performed from April 15, 1996–July 16, 2002. This amounts in total to approximately 50,000 observations of typical length 200–500 s. The observational period before April 15, 1996 (High Voltage Epochs 1 and 2) was excluded from the analysis because during that time the PCA had significantly different gain and dependence of the effective area on energy. Since these early observations constitute

only  $\sim 2.5\%$  of all available slew/scan data, their rejection has negligible effect on the net exposure time of our survey, which is 20.2 Ms.

The data reduction was done using standard tools of the LHEASOFT/FTOOLS 5.2 package. In this version of the software the effective area of the PCA detectors is slightly ( $\sim 11-12\%$ ) underestimated, which leads to an overestimation of the fluxes of X-ray sources (see Revnivtsev et al. 2003, Jahoda et al. 2004, in preparation). We have made a correction for this factor in our analysis.

For the background modeling we used faint ("L7\_240") CM model source the (http://heasarc.gsfc.nasa.gov/docs/xte/recipes/pcabackest.html). The background model includes by design both the CXB and instrumental background. Therefore, the background subtracted rate for "blank sky" observations is expected to be consistent with zero within spacial fluctuations of the CXB. The rms amplitude of these fluctuations (cosmic variance) was earlier estimated for RXTE/PCA to be  $\sim 7\%$ , or  $\sim 1.5 \times 10^{-12} \text{ erg s}^{-1} \text{ cm}^{-2}$ . in the 2-10 keV energy band (Markwardt et al. 2002, Revnivtsev et al. 2003).

At low galactic latitude, there is diffuse X-ray emission from the Galactic ridge and bulge. Using results of Iwan et al. 1982 and Revnivtsev 2003, we estimate that this component does not exceed  $\sim 2-3\times 10^{-12}$  ergs s<sup>-1</sup> cm<sup>-2</sup> at  $|b|>10^\circ$  in the central part of the Galaxy and continues to decrease with distance from the Galactic center (in l and b). We therefore neglect the Galactic diffuse emission in our subsequent analysis.

In order to reduce the effect of the uncertainties in the PCA background subtraction and increase our sensitivity to source detection, we used only the data of the first layer (LR1) for all PCUs. The effective area of a PCU (the first upper anode layer only) is shown as a function of photon energy in Fig. 1. Different curves in the figure represent different high voltage epochs of the PCA. The observed variations of the effective area prove to be mainly due to an increasing amount of xenon in the propane layer (Jahoda et al. 2004, in preparation) rather than due to the change of the high voltage.

We utilized data of Standard2 mode of the PCA, which are available for all observations. Standard2 mode provides the possibility of energy band selection and also 16 s time resolution. Energy band selection is very important, because by using a band narrower than the PCA total energy range (2–60 keV) we can significantly reduce the instrumental background and therefore strongly increase our sensitivity to faint sources. However, during a 16-s interval the center of the PCA field of view can move up to 1–1.5°, which limits the spatial resolution of maps constructed from Standard2 data (see §2.3 for further discussion of this issue).

Data were filtered by the following criteria. We filtered out Earth occulted data (by applying the criterion ELV > 10). Our study of the PCA background subtraction uncertainties and their dependence on the




Fig. 2. Sky exposure map (in Galactic coordinates) of the RXTE/PCA slew survey performed during April 1996–July 2002, recalculated per one PCU area. Smoothed contours are drawn at 100, 300, 1000, 3000, 10000 and 30000 s deg<sup>-2</sup>.

ELECTRON rate demonstrated that for our purposes (weak source detection) it is better to use the criterion ELECTRON\_PCU0, 1, 2, 3, 4 < 0.085 than the standard condition < 0.1. In addition, we excluded all data from PCU0 obtained later than May 12, 2000, because the loss of the upper propane veto layer of this PCU has resulted in strongly increased background subtraction uncertainties. After applying the above filters we are left with 9.3 Ms exposure time worth of good data, covering almost all of the sky. Since during some slews not all 5 PCUs were operational, the resulting exposure time recalculated per one PCU is 26.9 Ms. The corresponding exposure map is shown in Fig. 2.

# 2.2. Sensitivity and completeness of the survey

To avoid dealing with substantial source confusion due to high density of Galactic X-ray sources, we excluded observations performed at low Galactic latitude  $|b| < 10^{\circ}$  from the construction of a catalog of detected sources (see §3). The total accumulated exposure time per PCU corresponding to the  $|b| > 10^{\circ}$  region (with the total area of 34,090 sq. deg) is 16.6 Ms.

Fig. 3 shows the effective survey area as a function of the minimum PCU count rate allowing  $4\sigma$  source detection in the 3–20 keV, 3–8 keV and 8–20 keV bands, and also as a function of an energy flux threshold for  $4\sigma$  detection of sources with a Crab-like spectrum (power law with a photon index  $\Gamma=2$ ). The survey is 80%

(90%) complete at  $|b| > 10^\circ$  down to 3–20 keV, 3–8 keV and 8–20 keV count rates of 1.8 (2.5), 1.2 (1.6) and 1.3 (1.8) cnt s<sup>-1</sup>. For  $\Gamma=2$  sources, these numbers correspond to the following limiting fluxes: 2.3 (3.3), 1.2 (1.6) and 2.5 (3.4)  $\times 10^{-11}$  erg s<sup>-1</sup> cm<sup>-2</sup>. The sensitivity of the RXTE slew survey below 10 keV is thus comparable to/slightly higher than that of the HEAO-1 A1/A2 surveys (Wood et al. 1984, Piccinotti et al. 1982). In the 10–20 keV energy band, the current slew survey has record sensitivity for all-sky hard X-ray surveys, being an order of magnitude deeper than the HEAO-1/A4 survey (Levine et al. 1984).

# 2.3. Construction of the all-sky map; detection and localization of sources

Relatively fast and irregular slews of the RXTE satellite do not allow us to detect weak sources using the procedures previously applied to the analysis of the UHURU and HEAO-1 all-sky surveys (Forman et al. 1978, Piccinotti et al. 1982, Wood et al. 1984). For this reason, our source detection algorithm is based on analyzing averaged maps of the sky instead of using individual scans.

The accuracy of source localization depends on the source brightness and variability as well as on the RXTE slewing speed, but is always better than  $1-1.5^{\circ}$  for a single slew across a source. The localization of a source that has been scanned across several times can be signif-




Fig. 3. Sky coverage at  $|b| > 10^{\circ}$  of the RXTE/PCA slew survey as a function of the minimum count rate (lower panel) and energy flux (assuming a Crab-like source spectrum, upper panel) needed for detection of a source at  $4\sigma$  confidence level in different energy bands.

icantly improved by fitting its observed brightness profile on the sky with a model of the collimator response. The locations of extremely stable and strong sources such as the Crab nebula or brightest clusters of galaxies can thus be recovered within few arcminutes.

A sequence of several steps, as described below, was performed to build the all-sky map and to detect and localize sources in the sky. First, a map of the sky for each PCU was obtained by ascribing the measured, background subtracted count rate to the celestial position toward which the center of the PCA field of view was pointed at the middle of each 16-s bin of data. Such maps were produced in the total 3–20 keV energy band as well as in the subbands 3–8 keV and 8–20 keV. Then, exposure-weighted averaging of the maps from the individual PCUs was done to obtain raw maps of the sky in the three energy bands.

The derived all-sky maps are of very high statistical quality as demonstrated in Fig. 4, where we present the distribution of the observed signal-to-noise  $(S/N^{-1})$  ratios for the  $\sim 34,000~1^{\circ} \times 1^{\circ}$  bins making up the sky map at  $|b| > 10^{\circ}$  in the 3–20 keV band. The chosen pixel size assures that neighbouring bins are practically independent, because the effective field of view of RXTE/PCA is 1 sq.

deg. In the case of pure statistical noise, the S/N distribution is expected to be a Gaussian with zero mean and unity dispersion, which is quite similar to what is actually observed for S/N < 2 (see Fig. 4). Given this excellent agreement, we require that a source have a S/N > 4 in the 3–20 keV band to be considered detected. With this criterion, we allow the detection of approximately one fake source over the whole sky at  $|b| > 10^{\circ}$ .

A simply binned raw map of the sky does not provide us with the best signal to noise ratio for the search of point sources. In order to maximally use the available statistics we convolved the raw all-sky maps with the response of the RXTE/PCA collimator (Jahoda et al. 1996). The resulting 3–20 keV all-sky map is shown in Fig. 5. This map was used to detect sources by searching for peaks characterized by a S/N ratio of more than 4. The positions and fluxes of so found sources were subsequently determined from a  $\chi^2$  fit of the PCA collimator model to the raw all-sky map. In our catalog of detected sources (see §3), their best-fit positions are given with a  $1\sigma$  statistical uncertainty.

However, the above procedure is not optimal for detection and localization of sources covered by only a few RXTE slews and for strongly variable sources. We therefore also searched the 1°-binned raw all-sky map for pixels that have S/N > 4. This has allowed us to detect several addional sources, missed in the previous step (convolved sky analysis). For these sources, a conservative estimate of the total localization uncertainty is provided in the catalog (see §3). In all cases, the error is less than or equal to 1°.

#### 2.4. Flux measurement and source confusion

Measurement of source fluxes in our survey is subject to some systematic uncertainties. Some uncertainty may arise from insufficiently accurate determination of source positions. The further the inferred position is from the actual one, the smaller flux can be ascribed to the source because of the response of the collimator falling off with increasing offset from the optical axis. This should not however result in a biased estimate of the flux of a source that has been covered by numerous slews, because in that case both the source position and its flux are determined simultaneously from a fit of the model collimator response to the source image. However, the effect may be important for poorly covered sources and also for variable and transient sources. As most of the sky in our survey is covered by more than 5 slews, the effect is expected to be generally small.

We could estimate the accuracy of the flux determination if we had a sample of persistent sources with known X-ray fluxes. Fortunately, there are 64 clusters of galaxies detected in our survey (see §3) for most of which we can compare their measured RXTE/PCA 3-8 keV count rates with the corresponding values evaluated from the fluxes and gas temperatures derived

 $<sup>^1</sup>$  Here N means purely statistical noise of the measurements. We do not include here the variations of the CXB brightness level, which are smaller than the statistical uncertainty of a source flux measurement for typical exposure times  ${\sim}100~\rm s$ 

#### Galactic longitude




Fig. 5. All-sky map obtained with RXTE/PCA in the 3-20 keV energy band




Fig. 4. Distribution of signal-to-noise ratios for  $\sim 34,000$   $1^{\circ} \times 1^{\circ}$  bins making up the  $|b| > 10^{\circ}$  sky map in the 3-20 keV band. The dashed line is a Gaussian with zero mean and unity dispersion, expected for pure statistical noise.

with ROSAT and ASCA observatories (Markevitch 1998, Ebeling et al. 2000, Ikebe et al. 2002). The fact that clusters of galaxies are not point sources does not strongy affect our flux estimates because of the low ( $\sim$  1°) angular resolution of our measurements. The strongest deviations from the true source flux, on the order of 20-30%, may arise in the case of largest clusters of galaxies such as the Coma

It can be seen from Fig. 6 that the agreement between the two sets of count rates is very good and there seems to be no significant bias in our flux determination even for angular offsets as large as 40'. Since for the absolute majority of sources in our catalog that can be confidently associated with a known astrophysical object the RXTE location is within 40' of the true position, we will not attempt to correct any of the measured fluxes for the possible bias described above. We note however that the fluxes of the (weak and poorly localized) unidentified sources in our catalog may be systematically underestimated.

Because of the fairly large field of view of the PCA ( $\sim 1$  sq. deg), source confusion presents some problem for our survey. Confusion may manifest itself through the appearance of two or more sufficiently bright sources within our beam and lead to ambiguous source identification and uncertainty in source flux determination. Using cumulative source counts interpolated from HEAO-1/A2, ASCA and BeppoSAX measurements, or the consistent estimate from the current survey (see §4.2), and taking into account the sky coverage and sensitivity of our survey (Fig. 3), we may estimate that there can be of the order of 10 unresolvable pairs and larger groups of sources, detectable as single sources with S/N > 4, on the sky at  $|b| > 10^\circ$ , assuming a uniform distribution of sources. We do find a




Fig. 6. Upper panel: Count rates measured in the RXTE/PCA slew survey vs. count rates predicted from fluxes and gas temperatures measured with ROSAT and ASCA for 45 clusters of galaxies. The data are taken from Ikebe et al. (2002) – open circles, Markevitch (1998) – solid circles, and Ebeling et al. (2000) – open squares. Lower panel: Ratio of the measured and predicted count rates as a function of distance of the localization from the true position of clusters.

comparable number of confusion cases (groups of known X-ray sources) in our catalog (see §3).

The uncertainty of the flux determination can be expressed in terms of confusion variance  $\sigma_{\rm conf}$ . In the case of a power-law form of cumulative source counts (the number of sources with a flux greater than f per unit solid angle),  $N(>f) = Cf^{-\alpha}$ , the confusion noise is given by

$$f/\sigma_{\rm conf}(f) = \left(\frac{\alpha}{2-\alpha}\Omega N(>f)\right)^{-1/2},$$

where  $\Omega$  is the effective solid angle of the instrument beam (e.g. Hacking & Houck 1987). For the standard value  $\alpha=1.5$  and the observed density of sources, we find that confusion sets in at count rates below  $4\sigma_{\rm conf}\approx 0.5$  cnt s<sup>-1</sup> in the 3–20 keV band, or equivalently (assuming a Crab-like spectrum) at fluxes below  $7\times 10^{-12}$  erg s cm<sup>-2</sup>.

Summarizing the above discussion, we can conclude that our estimates of source fluxes may be affected by confusion in the count rate range below  $0.5 \, \mathrm{cnt} \, \mathrm{s}^{-1}$ , or for fluxes below  $7 \times 10^{-12} \, \mathrm{erg} \, \mathrm{s} \, \mathrm{cm}^{-2}$  (over 3–20 keV), and therefore  $\sim 20$  of sources entering the catalog at these levels should be treated with caution.

# 3. The catalog

A total of 294 sources detected (with higher than  $4\sigma$  significance) in the 3–20 keV energy band at Galactic latitudes  $|b|>10^\circ$  comprise the RXTE slew survey catalog, which is presented in Table 2. The columns of the catalog are described below.

Column (1) – source entry name in the catalog. "XSS" stands for "XTE Slew Survey". The name provides the source equatorial coordinates (2000).

Columns (2,3) - source Galactic coordinates.

Column (4) – localization region radius. In cases where the standard procedure of fitting the collimator response to the source brightness profile is unreliable, a conservative estimate of the total localization uncertainty is given. Otherwise, the quoted value represents  $1\sigma$  statistical uncertainty.

Columns (5,6) – count rate and  $1\sigma$  statistical uncertainty (in cnt s<sup>-1</sup> per PCU) for the 3–8 keV energy band.

Columns (7.8) – count rate and  $1\sigma$  statistical uncertainty (in cnt s<sup>-1</sup> per PCU) for the 8-20 keV energy band.

Column (9,10) – effective slope (photon index) of the source spectrum and  $1\sigma$  uncertainty. This estimate is based on the ratio of the 8–20 keV and 3–8 keV count rates. A lower (upper) limit is given in cases where the upper (lower) band flux measurement has a signal-to-noise ratio of less than 2.

Column (11) – common name of astrophysical object with which the XSS source is identified. There may be several entries per XSS source. The identification procedure is described in §3.1.

Columns (12) – general astrophysical type of the associated object. L – local (source in the Milky Way, LMC or SMC), A – active galactic nucleus, C – cluster of galaxies, G – non-active galaxy, O – other – afterglow of a gammaray burst.

Columns (13) – more detailed classification of object. For AGN (A): Q – quasar, RQQ – radio-quite quasar, RLQ – radio-loud quasar, BL – blasar (BL Lac object or flat-spectrum radio quasar), S1 – Seyfert 1 galaxy (types 1, 1.2 and 1.5), NLS1 – narrow-line Seyfert 1 galaxy, S2 – Seyfert 2 galaxy (types 1.8, 1.9 and 2), RG – radio galaxy, BLRG – broad-line radio galaxy, NLRG – narrow-line radio galaxy, LLAGN – low luminosity AGN. AGN classification is mostly adopted from NED, otherwise references are provided. For "local" sources (L): XB – X-ray binary, P – polar, IP – intermediate polar, DN – dwarf nova of SU, UG or ZC type, NL – nova-like of VY type, S – hot star, RS CVn – RS CVn variable star, SS – symbiotic star.

Columns (14) – redshift (if known) for extragalactic sources.

Columns (15) - additional notes or references.

Table 1 provides a set of conversion coefficients allowing one to estimate the flux of a cataloged source in the 3–8 keV, 8–20 keV and 3–20 keV bands in units of erg s<sup>-1</sup> cm<sup>-2</sup> from the count rates given in the catalog for a number of values of the effective spectral slope.




Fig. 7. Map of the sky around  $l=80^{\circ}$ ,  $b=70^{\circ}$  in the energy band 3-20 keV. The gray scale represents the significance of the detection of X-ray flux from a location in the sky. Circles (very small in the case of bright sources such as Coma cluster) and labels denote uncertainty radii of detected sources and their likely identifications, respectively.

Table 1. Conversion factor (A) between the RXTE/PCA count rates (CR) and the source energy flux (F) as a function of the source spectral slope  $(\Gamma)$ :  $F(10^{-11} \text{ erg s}^{-1} \text{ cm}^{-2}) = A \times CR \text{ (cnt s}^{-1}).$ 

	1	-0.5	1	1 -	2	3
$3-8~\mathrm{keV}$	0.67	0.88	1.00	1.04	1.03	1.02
$8-20~\mathrm{keV}$	2.71	2.89	2.87	2.45	1.92	1.51
3-20 keV	2.29	2.39	2.27	1.75	1.33	1.12

#### 3.1. Identification of sources

We have searched for likely counterparts to the hard X-ray sources detected in our survey primarily making use of large astronomical databases including NED, SIMBAD and VizieR. The identification process was greatly faciliated thanks to the availability of the ROSAT all-sky survey bright source catalog (RBSC, Voges et al. 1999) of soft X-ray (0.1–2.4 keV) sources. The ROSAT survey is typically an order of magnitude more sensitive than our RXTE slew survey for sources with Crab-like spectra

 $(\Gamma \sim 2)$ . Therefore, in most cases we could unambiguously associate the XSS source with a single bright (typically  $\gtrsim 0.2~{\rm cnt~s^{-1}}$ ) and hard (typically HR1 > 0.5) RBSC source located within the RXTE error box. Furthemore, for most of such highly probable associations the astrophysical type is known and other related information (such as redshift) is available, and that is included in the catalog. In addition, the ASCA Medium Sensitivity Survey (the GIS catalog, Ueda et al. 2001) played a crucial role in deciding about the identification of a number of sources.

In those cases where we strongly believe that the XSS source is associated with a particular RBSC source but its nature remains unknown, we just quote the ROSAT name in the identification column. In addition, among the sources of unknown nature in our catalog there are 6 whose localizations are consistent with a HEAO-1/A1 source (Wood et al. 1984). Such associations are also indicated in the catalog.

Very hard sources in our catalog such as Seyfert 2 galaxies may have no obvious counterpart in the RBSC catalog, and even in the ROSAT all-sky survey faint

source catalog, due to a low-energy photoabsorption cutoff in their X-ray spectrum. We thus carefully browsed published samples of AGN, in particular Seyfert 2s, observed by focusing X-ray telescopes operating in the standard 2–10 keV band (TARTARUS/ASCA database, Bassani et al. 1999), searching for possible associations with our sources.

In addition, we have identified 14 XSS sources (including 3 confused cases) located in the so-called Zone of Avoidance at  $10^{\circ} < |b| < 20^{\circ}$  with clusters of galaxies recently discovered in the CIZA survey (Ebeling et al. 2002, Ebeling et al. 2004).

For completeness, we included in the catalog four sources associated with gamma-ray burst afterglows. These detections have become possible only due to the RXTE observatory targeting these afterglows and therefore represent an extremely biased statistics of the occurence of GRB X-ray afterglows on the sky. The effect of cataloged sources being RXTE targets on the statistics of the catalog is discussed below.

# 3.2. Effect of RXTE pointing at cataloged sources

149 out of the 294 detected sources in our catalog were at least once the target of RXTE/PCA pointed observations. Although we have not used the data of the pointed observations themselves, the slew parts of these observations were included in our analysis. One may therefore reasonably suspect that some sources have entered the catalog only because they had been chosen for observations with RXTE.

In order to check this hypothesis we have re-evaluated the significance of detection of all cataloged sources by excluding the data of the slews associated with pointing at the sources. It turns out that apart from the GRB afterglows only the sources Mrk 335, Mrk 348, Ton S180 and NGC 1068 (all are AGN) would not have qualified for a catalog entry if they had not been pointed at by RXTE. Since this affects only  $\sim 1\%$  of the catalog, we conclude that the effect of targeting on the statistical quality of the catalog is negligible.

# 4. Analysis of the catalog

Out of the 294 detected sources, 236 (80%) have been associated with a single known astrophysical object, another 22 probably result from superposition of 2 or 3 closely located known sources. 35 detected sources remain unidentified, although for 12 of these there is a probable soft X-ray counterpart from the RBSC. Of the reliably identified single sources, 63 have local origin (among them are 19 X-ray binaries, 7 polars and 12 intermediate polars), 64 are clusters of galaxies and 100 are AGN.

## 4.1. Unidentified sources

The astrophysical origin of 35 sources in our catalog remains unknown. For 5 of these detections, the measured 3-

20 keV count rate falls below our adopted confusion limit of 0.5 cnt s<sup>-1</sup> (see §2.4), so some of them may in fact result from superposition of weaker sources. 29 unidentified sources are newly discovered hard X-ray sources, while the remaining 6 positionally coincide with previously known HEAO-1 sources (Wood et al. 1984). It should be relatively straighforward to identify in other bands of the electromagnetic spectrum the 12 XSS sources that have a likely RBSC counterpart, because the positions of these sources are known to within 1 arcmin. However, the identification of the other sources can be more problematic. We note that the current localization error ( $\sim$  30') can be significantly reduced by performing slowly scanning RXTE observations of the sources.

We could get some idea as to the nature of the unidentified sources by comparing their effective spectral slopes with those of the XSS sources of known type. This is done in Fig. 8, where we show the distribution of values of the effective photon index for XSS sources divided into several major classes, including AGN, clusters of galaxies, magnetic cataclysmic variables (CVs, including polars and intermediate polars) and unidentified sources. In plotting these diagrams, each source was ascribed a distribution of hardness ratios (8–20 keV/3–8 keV) in accordance with the measured count rate uncertainties.

The resulting distribution of  $\Gamma$  values is apparently broad for the sample of unidentified sources, although substantial part of this scatter results from the statistical uncertainty in measuring the count rates. However, the bulk of the unidentified sources are evidently harder than typical clusters of galaxies, being similar in hardness ( $\Gamma \lesssim 2$ ) to AGN and magnetic CVs.

It is interesting that 31 of 35 unidentified sources are located in the southern hemisphere (at  $\delta < 0$ ), which probably reflects the fact that the southern sky is relatively less studied in the optical and other bands. We can use this fact to show that magnetic CVs are unlikely to constitute the majority of our unidentified sources. Indeed, 8 and 11 of the magnetic CVs in our catalog are located at  $\delta > 0$ and  $\delta < 0$ , respectively. Since these objects are located in space within ~ 500 pc from us, their distribution in the sky is expected to be random to a first approximation. This statement relies on the fact that for a given source luminosity our survey samples similar volumes in the northern and southern hemispheres (in 1 to 1.1 proportion). For comparison, the catalog of CVs by Ritter et al. 2003, which contains 107 polars and intermediate polars and among them all of our 19 magnetic CVs, does not demonstrate any significant north/south asymmetry either: 49 and 58 sources are located at  $\delta > 0$  at and  $\delta < 0$ , respectively. If many of our unidentified sources were magnetic CVs, the distribution of all detected sources of this type would become significantly asymmetric with respect to the equatorial plane, which would be very difficult to explain.

Our catalog also includes 44 local sources of types other than magnetic CVs. However, we do not expect that more than a few objects of these types may be present among our unidentified sources. Indeed, X-ray binaries are very rare and bright X-ray sources, while the other sources (such as hot stars) are also rare and usually have soft spectra  $(\Gamma > 2)$ , as evidenced by our catalog.

We conclude that most of the unidentified sources are likely AGN, including those absorbed at soft X-rays (such as Seyfert 2 galaxies). The AGN content of the RXTE/PCA all-sky slew survey will be discussed in detail in a separate paper.

# 4.2. Number-flux functions

The high completeness ( $\sim 90\%$ ) of the identification of detected sources allows us to estimate number-flux functions for extragalactic sources. Furthemore, thanks to the record sensitivity achieved by the current survey at 8–20 keV, we obtain a unique opportunity to construct a  $\log N - \log S$  distribution in this hard X-ray band.

Fig. 9 shows the cumulative flux distributions of the detected extragalactic sources in the 2-10 keV and 8-20 keV energy bands, estimated as follows. We selected from the general catalog (Table 2) two samples of sources 1) those having S/N > 4 in the 3-8 keV band and 2) those meeting the same condition in the 8-20 keV band. Excluding sources of confirmed local origin, we are left with 209 and 92 sources for the soft and hard bands, respectively. These samples include unidentified sources (27 and 7, respectively), although the results remain essentially unchanged if we exclude these cases from consideration (8 unidentified sources have S/N < 4 in the soft energy band and 28 sources - in the hard energy band). As was explained in §2.3, although the general catalog comprises sources originally detected in the broad 3-20 keV band, the source samples subsequently selected from it in the 3-8 keV and 8-20 keV subbands are expected to be highly complete.

The  $\log N - \log S$  curves were calculated using the known sky coverage as a function of the survey sensitivity in the 3-8 keV and 8-20 keV bands (Fig. 3) The obtained distributions were converted from count rates to flux units assuming a power-law spectrum of  $\Gamma = 2$ . In addition, to faciliate comparison of our results with those of previous experiments we have made a change from the 3-8 keV band used in the catalog to the standard 2-10 keV band. Finally, we truncated the  $\log N - \log S$  distributions at the lowest fluxes according to the confusion limit formulated in §2.4, namely at  $6 \times 10^{-12}$  erg s cm<sup>-2</sup> and  $4\times10^{-12}$  erg s cm<sup>-2</sup> in the 2-10 keV and 8-20 keV, respectively. These values result from the fits to the number-flux functions at higher fluxes, presented below. As a result, the final flux distributions for the soft and hard bands presented in Fig. 9 are based on 197 and 90 sources, respectively.

Assuming the usual power-law form for the number-flux function

$$N(>S)=KS^{-\alpha},$$

we can estimate the parameters of this function using the maximum likelihood method (e.g Crawford, Jauncey & Murdoch 1970). We obtain the following best fits to the observed distributions in the flux ranges  $6 \times 10^{-12} - 6 \times 10^{-10}$  erg s cm<sup>-2</sup> (3–8 keV) and  $4 \times 10^{-12} - 4 \times 10^{-10}$  erg s cm<sup>-2</sup> (8–20 keV):

$$N(>S_{11}) = (9\pm1)\times10^{-3}S_{11}^{-1.34\pm0.13} \text{ deg}^{-2} (2-10 \text{ keV})$$

and

$$N(>S_{11}) = (5.8\pm0.6)\times10^{-3}S_{11}^{-1.52\pm0.18} \text{ deg}^{-2} (8-20 \text{ keV}),$$

where  $S_{11}$  is the source flux in units of  $10^{-11}$  erg s<sup>-1</sup> cm<sup>-2</sup>, the uncertainties here and later being  $1\sigma$ .

If we fix the slope of the number-flux function at the value  $\alpha = 1.5$ , we obtain normalization constants  $K = (1.0 \pm 0.1) \times 10^{-2}$  and  $K = (5.6 \pm 0.6) \times 10^{-3}$  deg<sup>-2</sup> for the soft and hard energy bands, respectively.

It is interesting to compare the above normalization of the 2–10 keV cumulative source counts with the values inferred from previous sky surveys, carried out with Ariel 5 (Warwick & Pye 1978), UHURU (Forman et al. 1978), HEAO-1/A2 (Piccinotti et al. 1982) and BeppoSAX (Giommi et al. 2000). Adopting conversion factors of 1 cnt s<sup>-1</sup> (Ariel 5) =  $6.2 \times 10^{-11}$  erg s<sup>-1</sup> cm<sup>-2</sup>, 1 cnt s<sup>-1</sup> (UHURU) =  $2.4 \times 10^{-11}$  erg s<sup>-1</sup> cm<sup>-2</sup> and 1 cnt s<sup>-1</sup> (HEAO-1/A2) =  $2.4 \times 10^{-11}$  erg s<sup>-1</sup> cm<sup>-2</sup> for the 2–10 keV energy band, we find the following coefficients (in the units given above) of the cumulative distribution function:  $K_{\text{Ariel}\,5} = (1.5 \pm 0.4) \times 10^{-2}$ ,  $K_{\text{UHURU}} = (1.8 \pm 0.2) \times 10^{-2}$ ,  $N_{\text{HEAO-1/A2}} = (1.24 \pm 0.14) \times 10^{-2}$ ,  $K_{\text{BeppoSAX}} = 8.9 \times 10^{-3}$ .

It can be seen that the Ariel 5, UHURU and HEAO-1 normalizations are slightly higher than ours. This difference probably results from the fact that our estimate of the density of extragalactic sources is largely based on low flux ( $\lesssim 2 \times 10^{-11} \text{ erg s}^{-1} \text{ cm}^{-2}$ ) sources that were inaccessible to those experiments. Our result is therefore less affected by the substantially inhomogeneous distribution of X-ray sources in the local extragalactic cell (\$\leq\$ 100 Mpc in size), because we efficiently sample the local Universe outside this volume as well. We note that the source counts measured with RXTE at flux levels above a few  $\times 10^{-11}$  erg s<sup>-1</sup> cm<sup>-2</sup>, where the contribution of the local density inhomogeneity becomes important, lie above our power-law fit and are in fact consistent with the results of the early all-sky surveys mentioned above. On the other hand, the extrapolation of our  $\log N - \log S$  curve to fluxes below the limit of the current survey of  $6 \times 10^{-12}$ erg s<sup>-1</sup> cm<sup>-2</sup> (2-10 keV) is in excellent agreement with the flux distributions derived from the BeppoSAX and ASCA medium-sensitivity surveys (see Fig. 9).

#### 4.3. Summary

We presented the serendipitous hard X-ray (3–20 keV) survey of the sky at high Galactic latitude  $|b| > 10^{\circ}$  based on RXTE/PCA slew observations in 1996–2002.




Fig. 9. Left: Cumulative  $\log N - \log S$  function in the 2–10 keV band obtained from the RXTE all-sky slew survey. To obtain this plot, the count rates measured at 3–8 keV were converted to 2–10 keV fluxes assuming a power law spectrum with a photon index  $\Gamma=2$ . The dashed area represents the estimated statistical uncertainty. Also shown are a number of previous measurements with: HEAO-1/A2 (Piccinotti et. 1982), ASCA (Ueda et al. 1999) and BeppoSAX (Giommi et al. 2000). The short-dashed line is our best fit with the slope  $\alpha=1.5$  to the RXTE data extrapolated down to the fluxes sampled by the BeppoSAX and ASCA surveys. Right: Cumulative  $\log N - \log S$  function in the 8-20 keV band obtained from the RXTE slew survey. Also shown is the result of the HEAO-1/A4 experiment (Levine et al. 1984) recalculated from the 13–25 keV band to 8–20 keV assuming a  $\Gamma=2$  spectrum.

At photon energies above 10 keV, the current survey surpasses by an order of magnitude in depth the previously best HEAO-1/A4 survey, achieving similar sensitivity ( $\sim 2\times 10^{-11}~{\rm erg~s^{-1}~cm^{-2}}$ ) to the HEAO-1/A1 experiment in the standard X-ray band (2–10 keV) for the most of the sky. At the same time,  $\sim 20\%$  of the sky is now covered at flux levels below  $10^{-11}~{\rm erg~s^{-1}~cm^{-2}}$  (2–10 keV), which has allowed us to draw the  $\log N - \log S$  diagram for extragalactic X-ray sources down to  $6\times 10^{-12}~{\rm erg~s^{-1}~cm^{-2}}$  and thus to fill the previously existing gap toward the cumulative source counts measured at lower fluxes by medium sensitivity surveys. Moreover, we have for the first time estimated the distribution of source fluxes at 8–20 keV in the  $4\times 10^{-12}$ –4  $\times 10^{-10}~{\rm erg~s^{-1}~cm^{-2}}$  range.

The compiled catalog comprises 294 detected sources and provides for each of them the estimated flux and effective spectral slope in the 3–20 keV range. The identification of the sources is already highly complete (88%), so the catalog can be efficiently used for statistical studies of different classes of sources. However, particularly interesting scientific content might still be hidden in the sample of 35 unidentified sources. A large fraction of these are probably AGN, including a number of highly obscured ones which are very difficult to discover in the optical or soft X-ray

bands. To establish their origin, a dedicated identification program needs to be carried out. Scanning RXTE observations could improve the localizations of those unidentified sources for which we failed to find a counterpart in the ROSAT all-sky survey.

The statistical properties of the AGN detected in the RXTE all-sky slew survey will be discussed in a separate paper (Sazonov et al., in preparation).

Acknowledgements. We thank Harald Ebeling and Christopher Mullis for providing us the information about a set of CIZA clusters before publication. This research has made use of data obtained through the High Energy Astrophysics Science Archive Research Center Online Service, provided by the NASA/Goddard Space Flight Center.

#### References

Alcala, J.M., Krautter, J., Schmitt, J.H.M.M. et al. 1995, A&AS, 114, 109

Bassani, L. et al. 1999, ApJS, 121, 473

Bradt, H.V., Rotshild R.E., & Swank J.H. 1993, A&AS, 97, 355

Brandt, W.N. et al., 2001, AJ, 122, 2810

Brinkmann, W., Siebert, J., Feigelson, E.D., et al. 1997, A&A, 323, 739

Crawford, D.F., Jauncey, D.L., & Murdoch, H.S. 1970, ApJ, 162, 405 della Ceca, R., Palumbo, G.G.C., Persic, M. et al. 1990, ApJS, 72, 471 Ebeling, H., Edge, A.C., Allen, S.W., Crawford, C.S., Fabian, A.C., & Huchra, J.P. 2000, MNRAS, 318, 333 Ebeling, H., Mullis, C.R., & Tully, R.B. 2002, ApJ, 580, 774 Ebeling, H. et al., 2004, in preparation Fischer, J.-U., Hasinger, G., Schwope, A.D. et al. 1998, Astron. Nachr., 319, 347 Forman, W., Jones, C., Cominsky, L. et al., 1978, ApJS, 38, Giommi, P., Perri, M., & Fiore, F., 2000, A&A, 362, 799 Hacking, P., & Houck, J.R., 1987, ApJS, 63, 311 Hasinger, G. et al., 2001, A&A, 365, L45 Ikebe, Y., Reiprich, T. H., Böhringer, H., Tanaka Y., & Kitayama, T., 2002, A&A, 383, 773 Imanishi, K., Koyama, K., & Tsuboi, Y. 2001, ApJ, 557, 747 Iwan D., Marshall F., Boldt E. et al. 1982, ApJ, 260, 111

Jahoda, K., Swank, J.H., Giles, A.B., Stark, M.J., Strohmayer, T., Zhang, W., & Morgan, E.H., 1996, Proc SPIE, 2808, 59

Lara, L., Márquez, I., Cotton, W.D. et al., 1999, NewAR, 43. 643

Laurent-Muehleisen, S.A., Kollgaard, R.I., Ryan, P.J., et al. 1997, A&AS, 122, 235

Levine, A.M., Lang, F.L., Lewin, W.H.G. et al. 1984, ApJS, 54, 581

Markevitch, M., 1998, ApJ, 504, 27

Markwardt, C., Swank, J., Marshall, F., & in't Zand, J., 2000, in ROSSI 2000: Astrophysics with the Rossi X-ray Timing Explorer. March 22-24, 2000 at NASA's GSFC, Greenbelt, MD USA, p. E7

Markwardt, C., Jahoda, K. & Smith, D.A., 2002, http://lheawww.gsfc.nasa.gov/users/craigm/pca-bkg/bkg-users.html

Pellegrini, S., Cappi, M., Bassani, L., della Ceca, R., & Palumbo, G.G.C. 2000, A&A, 360, 878

Piccinotti, G., Mushotzky, R.F., Boldt, E.A. et al., 1982, ApJ, 253, 485

Revnivtsev M. 2003, A&A, 410, 865

Revnivtsev, M., Gilfanov, M., Sunyaev, R., Jahoda, K., & Markwardt, C., 2003, A&A, 411, 329

Schmid, H.M., Appenzeller, I., & Burch, U., 2003, A&A, 404,

Simpson, C., Ward, M., Clements, D.L., & Rawlings, S. 1996, MNRAS, 281, 509

Swank, J. et al., 1995, The Lives of Neutron Stars, eds. Alpar, A., Kiziloglu, U., & van Paradijs, J. NATO ASI Series

Ueda, Y., Takahashi, T., Ishisaki, Y., Ohashi, T., & Makishima, K. 1999, ApJ, 524, L11

Ueda, Y., Ishisaki, Y., Takahashi, T., Makishima, K., & Ohashi, T. 2001, ApJS, 133, 1

Véron-Cetty, M.-P., Véron, P., & Gonçalves, A.C. 2001, A&A, 372, 730

Véron-Cetty, M.-P., & Véron, P. 2003, A&A, 412, 399

Voges, W., Aschenbach, B., Boller, Th. et al., 1999, A&A, 349,

Warwick, R.S., & Pye, J.P., 1978, MNRAS, 183, 169

Wood, K.S., Meekins, J.F., Yentis, D.J. et al. 1984, ApJS, 56,




Fig. 8. Distribution of spectral slopes of X-ray sources detected in our survey grouped according to their astrophysical type. The contribution of each source to the corresponding diagram was computed assuming that its 8-20 keV/3-8 keV hardness ratio is described by a Gaussian distribution with the parameters determined by the values and uncertainty of the measured count rates.

Table 2. Catalog of sources detected in the RXTE all-sky slew survey

: (
מסססס תרב
C.7
×
×
_
47 0.31
-79.14
80.29
,-

~													u	n																															
8	0.059	2000	0.000	0.033	0.018				0.018		0.033	0000	0.029				0.035	•	7.7								0 000	92000	0.020		0.034		0.051	0.14		0.014	0.051	0.051	0.038	0.022			•		
Class2		המזם	מחמ	ţ		n :	닄		SI	XB	55	5	a v	2	Ş	ΛΒ	BLKG.	÷ :	3 :	ΥR		1 5 T	ם ל	Z X	<u> </u>	; A	BI.	3 6	S	BL	Sı	II.		NLS1	DN	S2				Sı	XB	II	DN		•
Class1	O	) <b>&lt;</b>	ל כ	<b>)</b> -	۷.	٦.	٠,		٧	u	٧	: 0	) +	3			<.	٦-	٠. ٢	٠, د	٦.	٦.	٠.	<b>□</b> ⊢	<u>-</u>	- ،	1 <	: <	. ∀	Ą	¥	L L	۔ ص	¥		¥	C	ت ت	<u>ت</u>	¥	u	7			
Common name	A3266	3C 120	A 406	7130 700 033 COO	ESO 033-G002	I I Men	v 1002 1au		IRAS $05078 + 1626$	4U 0513-40	AKN 120	A539	1BXS 1051351 9,605145	021060-7:1001000 CX	2 × 2 × 2	Dia A	FICA THY CAL	D170 0508 1194	#07+0700 CVI I	LIMO A-4	Crion Ineouna	1 W F10	Zoto Ori	LMC X-1	TX Col	BY Cam	PKS 0548-32	NGC 2110	MCG +8-11-11	EXO 055625-3838.6	EXO 055620-3820.2	V405 Aur	C12A JU0UZ.U+5315	PKS 0558-504	SS Aur	MRK 3	A3391	A3395	A576	MRK 79	EXO 0748-676	PQ Gem	U Gem	UT 0	
d,	0.25	0.05	0.50	200	00.0	000	0.00	10.0	0.36	0.05	0.00		0.23	0.84	100	20.0	900	2	5	20.0	0.43	0 03	3	0.03	0.36	0.27	99.0	0.16	0.55			0.72				0.22	0.35	-		0.40	0.02	0.19	0.35	240	
<u>-</u>	2.61	85.	2.85	200	00.7	1 24	1.04	10.0	1.65	2.04	1.81	>1.7	2.92	1.27	37.6	 	7.0	7	77.7	20.0	03: 7	273	20.70	3.60	1.76	1.69	2.13	1.25	2.30	>2.2	-	1.75		V.1.5	× 1.8	0.00	5.06		>2.6	1.64	1.18	1.35	2.29	1 20	
$dF_2$	0.19	0.04	0.09	20.0	 5	0 1 8 C	0.10	67.0	0.23	0.07	0.03	0.16	0.00	0.17	800	0.00	1 2 0	15.0	90.0	90.00	0.10	700	0.11	0.04	0.08	20.0	0.25	0.13	0.31	0.38		0.24		0.18	0.17	0.03	0.20	-	0.14	0.17	0.05	0.08	0.07	06.0	
1.2	1.10	1.74	0.92	20.0	0,40	1 18	0.00	1 10	1.18	2.84	1.10	0.28	0.36	0.43	6.80	25.0	20.0	0.05	62.9	20.0	200	200	90.0	2.40	0.42	0.53	0.62	1.65	0.88	0.76		U.0.					0.90		0.24				0.31	_	
$dF_1$	0.19	0.04	0.11	900	3	- 15	0 10	10	0.19	0.02	0.03	0.14	0.05	0.14	11	80.0	81.0	0.12	0.05	20.00	0.10	90.0	0.09	0.00	90.0	0.00	0.19	0.11	0.27	0.34		0.21		61.0	U.14	0.07	0.18	,	0.10	0.12	0.05	0.07	0.05	0.03	
7.	3.74	2.94	3.74	0 08	2	1 23	090	600	2.00	6.44	2.14	0.75	1.58	09.0	26.18	88.0	2 01	0.50	5.32	4 82	0.70	13.77	0.82	18.19	0.80	96.0	1.49	2.28	2.36	2.33	-	1.14	70	0.50		0.30	_		01.1					1 14 -	
Err(')	œ	9	~	47	;	σ.	47	- 6	3 '	9	9	99	09	09			×	9	LC:	~	- 09	_	_			47	9	6	11	01	9	 0		3 5	7 6	4, 8	3		51	8	us.	<b>∞</b>	10	47	
a	-40.20	-27.40	-36.51	-33.21		-10.41	-33.19	12.48	05.01-	-34.83	-21.11	-17.59	-33.36	-10.84	-32.68	-34.27	-30.58	10.97	-32.52	-19.38	-32.28	-31.98	-16.50	-31.24	-29.78	15.9	-26.11	-16.67	10.39	-26.31	14.69	70.41	26 26	20.03-	10.00	22.03	- 74.94 -		07.07	78.97	-19.86	19.78	23.34	31.82	
,	272.07	190.39	209.59	287.90	2	178.02	224.86	185 01	100.91	244.40	201.69	195.58	280.59	185.61	283.12	251.96	236.85	191.62	276.22	208.92	266.56	273.56	207.07	280.58	247.03	151.99	237.77	212.97	165.90	244.76	150 50	109:90	958 39	165 00	70.001	140.00	70.707	161 40	101.40	100.00	76.677	206.11	199.35	153.94	
Ivaine	XSS J04309-6123	XSS J04331+0520	XSS J04335-1316	XSS J04562-7540		XSS J05019+2444	XSS J05054-2348	XSS J05103+1640	VGG 105150 2057	0085-00100C CCV	XSS J05162-0008	XSS J05168+0636	XSS J05178-6946	XSS J05188+1823	XSS J05204-7158	XSS J05220-4603	XSS J05295-3252	XSS J05316+1320	XSS J05329-6616	XSS J05351-0519	XSS J05385-5809	XSS J05398-6404	XSS J05421-0225	XSS J05423-7005	XSS J05432-4116	XSS J05450+6049	XSS J05510-3226	XSS J05518-0733	XSS J05552+4617	A35 J05585-3831	XSS 106007 LEAR	OFCO+ 100000 CICAN	XSS 106014.5044	XSS 106132-4755	VGC 106171 - 7100	VEG 106982 E403	70%0-00700c CCV	VGG 10701E   EEAE	VGC 107777 1040	A33 JU/434+4943	A33 JU/480-0740	XSS 307514+1442	XSS J07550+2152	XSS J08010+6241	11111111111111111

R	Γ							-								_					9											<u> </u>			_		_									_
2		0.071		2.2	0.054	0.052	0.029	0.036		0.0083	0.00	0.00		0.14	0.16	0.0038	0.013	0.031	0.19	0.0088		0.095	0.15		0.045	0.0097	0.12	090.0	0.022		1	0.0035	0.13	0.72	0.0023	0.0033	0.081	0.24	0.013	0.18	0.0015	0.075	0.070	0.0084	,	0.10
Class2	DN	-	DN	BL	-		SI	NLS1		S2	LLAGN					S1		BL	BL	$\mathbf{S}1$		S1	$\mathbf{S}_{1}$	XB	BL	$\mathbf{S}_{\mathbf{I}}$		S1		≟-		LLAGN	SI	7 C	NLS1	S1	NLS1	BL	NLS1	BL	S2		S1	S2	ŗ	ВГ
Class1	T	Ö	T	¥	ပ	ຽ	¥	¥	Ľ	Ą	A	Ö	ပ	ರ	೮	Ą	ರ	Α	A	Ą	П	Ą	A	בו	¥	Ą	Ü	Ą	٥,	7	0 -	Α.	¥ <	¥ ▼	: <b>V</b>	¥	A	Ą	Α	A	A	<u>0</u>	Α.			¥.
Common name	SU Uma	A644	Z Cam	S5 0836+71	A754	Hydra A	MRK 704	MRK 110	4U 0923-31	MCG -5-23-16	NGC 3031	M82	CIZA J0957.2-7554	A990	A980	NGC 3227	A1060	MRK 421	4U 1057-21	NGC 3516	Cha 1 cloud	CSO 1159	PG 1115+407	XTE 1118+48	MRK 180	NGC 3783	A1361	SBS 1136+594	A1367	DO Dra	GRB 990506	NGC 3998	RX J1201.5+2932	40 +29.45 RX 11203 7±2836	NGC 4051	NGC 4151	PG 1211+143	TON 0605	NGC 4253	FBQS J1221+3010	NGC 4258	ZwCl 1215	MRK 205	NGC 4388	1RXS J122758.8-485343	30.2/3
dr	0.26	0.63		0.08	0.09		0.71	0.42		90.0	0.25	-				0.05	0.41	0.02		0.02		0.78		0.05		0.04		0.69	0.32	0.27	0.10	1	0.75		0.07	0.03	99.0	0.33			0.10			0.08	0.41	0.03
L	2.30	2.63	>0.3	1.13	2.22	>2.5	1.19	1.98	>3	1.55	2.38		>1.1	>0.7		1.42	3.23	2.43	>0.3	1.57	>1.8	1.80		1.37	>1.8	1.57	^1	1.89	3.05	1.48	2.05	>1.9	1.65		1.88	1.25	2.22	2.39			1.48	>2	>1.8	1.55	1.82	1.47
$dF_2$	0.05	0.34	0.12	0.05	0.13	0.19	0.28	0.13	0.40	0.11	0.13		0.00	0.17		0.03	0.16	0.03	0.35	0.01	0.10	0.07		0.11	0.07	0.05	0.10	0.08	0.14	0.14	0.05	0.00	0.12		0.03	0.05	0.00	0.13			0.02	0.21	0.02	0.10	0.15	0.04
$F_2$	0.34	0.80	0.30	1.27	2.40	0.03	0.79	0.54	0.22	3.91	0.81	_	0.11	0.27		1.37	0.50	3.03	0.53	1.90	0.07	0.18		15.93	-0.05	2.93	0.20	0.20	0.57	1.00	0.48	0.07	0.30		0.73	6.82	0.23	0.61			0.51	0.45	0.14	2.61	0.67	4.20
$dF_1$	0.04	0.31	0.09	0.04	0.15	0.17	0.22	0.10	0.65	0.12	0.12		80.0	0.10		0.02	0.13	0.04	0.34	0.01	80.0	90.0		0.16	90.0	0.04	0.08	0.00	0.14	0.12	0.05	0.07	0.00		0.02	0.04	80.0	0.12			0.03	0.17	0.06	0.10	0.13	0.05
$F_1$	0.92	2.76	0.25	1.63	6.12	1.44	1.06	1.17	4.54	6.46	2.33	,	0.32	0.47		2.10	2.80	8.99	1.49	3.21	0.50	0.35		23.70	0.42	4.90	0.34	0.41	2.76	1.60	1.10	0.48	0.53		1.49	9.46	0.59	1.77			0.81	1.07	0.37	4.33	1.32	0.77
Err(')	30	12	47	7	2	13	09	09	09	9	30	_	09	09		9	30	10	47	25	09	09		2	09	ນ	09	16	14		09	9	<u> </u>		2.1		09	47			21	25	09	30	<u></u> о (	0
P	+	15.03	32.93	34.46	24.69	25.02	40.11	44.55	13.39	17.18	40.79		-16.31	53.87		55.35	26.59	65.06	33.03	42.40	-15.13	20.99		62.31	45.96	22.95	66.27	55.76	73.03	44.52	34.61	60.19	78.71		70.18	75.02	74.94	82.30			68.89	65.20	41.81	74.49	13.67	64.29
1	154.03	229.95	141.13	143.54	239.24	242.93	214.26	165.25	260.01	262.77	141.82		293.34	165.23		216.96	269.80	179.97	273.58	133.24	297.10	170.91		157.84	132.32	287.52	154.40	138.76	234.64	129.88	287.84	138.56	198.65		149.04	154.87	268.42	188.70			138.34	284.01	125.57	279.16	298.81	788.81
Name	08142+6231			~							J09558+6917		XSS J10060-7600	XSS J10220+4908		XSS J10231+1950	XSS J10376-2732	XSS J11045+3808	XSS J11047-2341	XSS J11067+7234	XSS J11094-7650	XSS J11170+4110		_	₩		XSS J11406+4617			XSS J11474+7143	XSS J11559-2637	XSS J11570+5514	XSS J12011+2920		XSS 112032+4424	XSS J12106+3927	XSS J12164+1427	XSS J12190+3003			XSS J12190+4715	XSS J12201+0329	XSS J12206+7509	XSS J12260+1248	XSS J12270-4859	ASS J12288+0200

=	L					_												9		∞										_						6				
z		0.0044	0.0033	0.012			0.0090	0.010	}	0.058	0.54	0.054	0.054	0.047	0.085	0.085	0.023		0.0019	0.015	0.18	0.25	0.0018	0.046	0.048	0.026	0.050	0.0077		0.042	0.040	0.062	0.016	0.031		0.31		0.25	0.014	0.097
Class2				82		П	SI	f }	П	SI	BL	İ							SZ	S1			NLRG			SI		S1	RS CVn	NLS1			SI	S1		RLQ				ŧ
Class1		Ö	ß	A		1	¥	Ü	· 17	¥	¥	Ü	٥	Ö	Ü	Ö	Ö	L1	Ą	A	Ü	ບ	Ą	Ö	ຽ.	¥	C	A	<b>₽</b>	Ą	Ü	Ö	Ą	¥		Ą	Ü	ا-ت ا	G	υ,
Common name	1RXS J123212.3-421745=IRAS F12295-4201	M87/Virgo	M49	NGC 4507		V1025 Cen	NGC 4593	Centaurus cluster	EX Hya	CTS M12.22	3C 279	A3532	A3530	A1644	A1651	A1650	Coma cluster	Cha 2 cloud	NGC 4945	ESO 323-G077	A1689	1RXS J131423.6-251521	Cen A.	A1736	A3558	ESO 509-G038	A3562	MCG -6-30-15	BH CVn	NPM1G -14.0512	A3571	A1795	IC 4329A	MRK 279	1H 1342-733	PKS 1355-41	CIZA J1358.9-4750	A1835	NGC 5419	CIZA J1407.8-5100
dľ	0.72	0.02			0.46	0.54	0.58	0.02	0.02		0.11			0.23	0.20		0.03		0.42	0.65			0.04	0.27	0.04		0.28	0.04		0.67	0.02	0.43	0.04	0.13		0.71	0.39	0.83		0.35
ľ	1.57	3.49	>1.3	>0.0	1.71	2.26	1.59	2.96	2.19	>1.6	1.47	>2.6		5.69	2.34	>2.4	2.22	>1.5	0.72	0.19	>2.1	>0.0	1.23	2.63	2.57	>1.3	2.84	1.74	>2.8	1.71	2.49	2.97	1.62	1.89	>1.6	1.18	2.59	1.22	>1.4	2.37
$dF_2$	0.10	0.08	0.11	0.13	0.12	80.0	0.18	0.00	0.09	0.10	0.02	0.13		0.00	0.07	0.10	0.07	0.09	90.0	0.14	0.14	0.07	0.17	0.08	0.03	0.07	0.05	0.02	0.39	0.09	0.09	0.25	0.08	0.07	0.12	0.10	0.16	0.17	0.08	0.12
$F_2$	0.28	2.30	0.14	0.57	0.51	0.23	0.61	1.92	2.49	0.20	0.48	0.20		0.54	09.0	0.16	89.8	0.15	0.30	0.46	0.24	0.14	9.51	0.41	1.56	0.15	0.26	1.65	0.42	0.26	2.20	0.78	4.20	1.04	0.24	0.29	0.61	0.41	0.07	0.53
$\mathrm{d}F_1$	0.00	0.15	0.10	0.11	0.11	0.07	0.16	0.12	0.12	80.0	0.05	0.11		0.08	0.07	0.13	0.09	0.08	0.05	0.11	0.12	90.0	0.17	0.0	0.02	90.0	0.04	0.02	0.50	80.0	0.00	0.24	0.02	90.0	0.10	0.08	0.15	0.12	0.07	0.11
$I_1$	0.48	16.05	0.45	0.29	0.93	0.62	1.05	8.54	6.22	0.46	92.0	1.02		1.97	1.67	0.78	22.21	0.40	0.30	0.31	0.81	0.20	13.00	1.44	5.14	0.25	1.06	3.08	3.70	0.47	6.79	3.53	7.29	2.13	0.54	0.38	2.04	0.56	0.32	1.52
Err(')	9	9	09	09	09	09	09	9	9	09	56	09		6	99	09	6	09	09	09	09	09	ņ	09	ī	09	99	ທ	99	9	ro.	17	10	47	17	09	47	09	3 ;	47
q	20.16	74.49	70.82	22.95	46.53	24.46	57.50	21.53	33.68	36.30	57.21	32.03		45.39	58.67	61.56	86.78	-13.77	13.35	22.44	61.00	37.62	19.39	34.99	30.64	36.90	30.22	27.74	76.25	46.55	28.54	77.25	30.89	46.89	-11.41	18.96	13.69	61.11	27.00	10.34
-	298.78	283.89	287.59	299.54	298.56	300.30	298.00	302.44	303.32	304.00	305.27	304.41		304.99	306.44	307.19	58.86	303.56	305.58	306.45	313.80	310.15	309.49	312.75	312.09	314.22	313.72	313.20	83.03	320.90	316.28	34.27	317.47	115.03	307.51	315.85	314.53	340.37	320.00	315.12
Name	XSS J12303-4232	XSS J12309+1223	XSS J12312+0833	XSS J12351-3948	XSS J12389-1614	XSS J12392-3820	XSS J12408-0516	XSS J12490-4120	XSS J12529-2911	XSS J12553-2633	XSS J12565-0537	XSS J12572-3049		XSS J12575-1727																							XSS J13588-4738	XSS J13598+0319	XSS J14044-3326	XSS 314080-5042

0.07 0.31 0.09 0.42 0.06 0.05 0.03 0.24 0.09 0.22 0.11 1.95 0.09 0.22 0.13 1.74 0.00 0.22 0.11 1.95 0.00 0.22 0.13 1.45 0.00 0.22 0.13 1.45 0.00 0.20 0.13 1.45 0.00 0.20 0.14 1.84 0.00 0.00 0.00 0.28 0.14 1.84 0.00 0.00 0.00 0.28 0.14 1.84 0.00 0.00 0.00 0.00 0.22 0.00 0.00 0.0	0.60 0.02 0.79 0.03				0.049
144101-2520         322.14         30.22         0.0         0.05         0.01         0.05	0.00 0.68 0.02 0.79 0.03				0.049
JULY 18.17         JULY 18.13         JULY 18	0.03	O101 1 1110 1 1010			0.049
114132-0311         339.16         53.82         5         6.90         0.03         3.71         0.02         1.74           114132-0311         339.16         53.83         5         6.90         0.03         3.71         0.02         0.11         1.95           114170-1133         33.94         46.08         60         0.57         0.09         0.22         0.11         1.95           114181-2514         32.26         7.048         6         0.52         0.10         0.28         0.13         >.1.7           114189-4806         326.51         32.70         60         0.77         0.12         0.09         0.06         >.1.8           114199-4837         90.28         62.51         60         0.77         0.12         0.09         0.06         >.1.8           114199-4837         90.28         62.51         60         0.77         0.12         0.09         0.06         >.1.8           114199-4837         90.28         62.51         60         0.77         0.19         0.09         0.06         >.1.8           114199-4837         90.28         62.51         60         0.77         0.09         0.09         0.09         0.09 <td< td=""><td>0.02</td><td>CIZA J1410.4-4246</td><td></td><td></td><td></td></td<>	0.02	CIZA J1410.4-4246			
114184-922         319.49         19.83         47         0.52         0.09         0.24         0.11         1.95           114170-1133         333.97         46.08         60         0.57         0.09         0.22         0.13         >1.7           114181-2514         31.397         46.08         60         0.52         0.00         0.23         0.01         2.16           114181-2514         32.26         70.48         6         0.52         0.00         0.02         1.16           114194-2606         32.61         32.70         60         0.10         0.28         0.13         >1.7           114194-2606         32.61         60         0.77         0.02         0.09         0.06         >1.8           114239-3800         322.35         21.35         60         0.77         0.12         0.03         0.06         >1.8           114239-3800         318.54         11.38         60         0.73         0.04         0.09         0.03         0.09         >1.8           114239-3800         318.54         11.37         60         0.73         0.07         0.09         0.09         >1.8           11440-8-205         322.44	0.79	NGC 5506	<b>4</b>	S2	0.0062
11470-1133         333.97         46.08         60         0.57         0.09         0.22         0.13         >1.6           114176-4910         317.10         11.30         60         0.52         0.01         0.02         1.01           114184-2514         32.26         70.48         6         1.10         0.09         0.70         0.09         1.16           114199-4837         90.28         6.251         60         0.32         0.05         0.09         0.70         0.09         1.16           114199-4837         90.28         2.13         60         0.77         0.12         0.09         0.70         0.09         1.18           114199-4837         90.28         21.35         60         0.77         0.12         0.09         0.70         0.09         1.18           114278-4240         7.766         65.701         20         1.13         0.04         0.01         0.09         0.71         0.09         0.71         0.11         0.09         0.71         0.11         0.09         0.71         0.09         0.71         0.09         0.71         0.09         0.71         0.09         0.71         0.09         0.71         0.09         0.72	0.03				
141411-1514         317.10         11.30         60         0.52         0.10         0.28         0.13         >1.7           14181+2514         32.26         3.26         0.02         2.03         0.02         1.65         0.14         1.48         0.14         0.09         0.09         0.09         1.16         0.09         0.09         0.09         1.16         0.09         0.09         0.09         1.16         0.09         0.09         0.09         1.16         0.09         0.09         1.16         0.09         1.16         0.09         1.16         0.09         1.16         0.09         1.16         0.09         1.16         0.09         1.16         0.09         1.16         0.09         1.16         0.09         1.16         0.09         1.16         0.09         1.16         0.09         1.16         0.09         1.16         0.09         1.18         0.09         1.18         1.14         0.09         0.09         1.16         0.09         0.09         0.09         1.18         1.14         0.09         0.09         0.09         1.18         1.14         0.09         0.09         0.09         0.09         1.18         1.14         1.18         1.14         1.18	0.03	1RXS J141650.6-115845=LCRS B141408.4-114506	506   G(AL)		0.03
114181+2514         32.26         70.48         6         3.58         0.02         2.03         0.02         1.65           114194-2666         326.51         32.70         60         1.10         0.09         0.70         0.09         1.46           114194-2666         326.51         32.70         60         1.10         0.09         0.77         0.09         1.46           114194-4837         322.35         21.35         60         0.77         0.12         0.38         0.14         1.84           114278-443753         318.54         11.98         60         0.77         0.03         0.04         0.05         0.05         >2.2           114278-443753         318.54         11.98         60         0.77         0.04         0.05         0.01         1.84           114278-443753         318.54         11.98         60         0.73         0.07         0.02         0.03         0.05         >1.8           114078-443753         318.54         19.77         60         0.73         0.07         0.02         0.01         1.18           11408-406         30.00         47         0.75         0.07         0.02         0.06         1.18     <	0.03	PKS 1416-49	¥	RG	0.092
14194-2666         36.51         37.0         60         1.10         0.09         0.70         0.09         1.46           114194-2668         36.51         32.70         60         1.10         0.09         0.70         0.09         1.46           114194-2668         36.51         32.70         60         0.77         0.12         0.38         0.14         1.84           114239-380         32.35         11.38         60         0.77         0.12         0.38         0.14         1.84           114244-3753         67.66         67.71         20         1.13         0.09         0.70         0.09         1.46           11408-3815         76.66         67.71         20         1.13         0.04         0.05         0.05         0.05         0.14         1.84           11408-4057         76.66         67.71         20         1.13         0.07         0.01         0.05         0.05         0.14         1.84           11408-4051         325.47         19.77         60         0.74         0.07         0.01         0.06         >1.48           115042-1046         11.75         54.76         60         0.41         0.05         0.06 <td></td> <td>NGC 5548</td> <td>¥</td> <td>SI</td> <td>0.017</td>		NGC 5548	¥	SI	0.017
14239-3800         322.35         21.35         60         0.77         0.12         0.03         0.06         >1.84           114239-3800         322.35         21.35         60         0.77         0.12         0.38         0.14         1.84           114239-3800         322.35         21.35         60         0.77         0.12         0.38         0.14         1.84           114241-4803         318.54         1.38         60         0.33         0.04         0.05         0.05         5.2           114234-3753         37.66         65.00         47         1.17         0.08         0.54         0.11         1.95           114402-4005         325.47         19.77         60         0.73         0.07         0.28         0.14         1.18           114402-2040         32.54         19.77         60         0.73         0.07         0.28         0.08         0.25         0.08         0.14         1.184           114402-2075         32.54         19.77         60         0.77         0.04         0.18         0.00         0.23         0.05         0.01         0.11         1.184           114402-2075         32.54         14.61         <	0.08	FSO 511-G030	₹	5	0.02
14239-3800         322.35         21.35         60         0.77         0.12         0.03         0.14         1.84           142439-3800         322.35         21.35         60         0.77         0.12         0.03         0.04         0.05         >2.2           14241-4803         318.54         11.98         60         0.73         0.04         0.05         0.23         0.18         0.05         0.22         1.18           14244+3753         67.66         67.71         20         0.34         0.07         0.09         0.23         0.18         0.24         0.11         1.95           14408-3815         325.47         19.77         60         0.73         0.07         0.28         0.09         >1.48           14408-3815         325.47         19.77         60         0.73         0.07         0.28         0.08         2.22           14408-3815         326.19         17.38         47         0.42         0.04         0.18         0.06         2.06         1.35         0.07         0.28         0.08         2.22         1.88         0.09         1.18         0.00         0.09         0.01         0.01         0.01         0.01         0.02	3	A1004	ا ت -	ì	0.071
J4239-3800         322.35         21.35         60         0.77         0.12         0.38         0.14         1.84           J14244-3753         67.66         67.71         20         1.13         0.09         0.05         0.05         5.22           J14244-3753         67.66         67.71         20         1.13         0.09         0.05         0.05         0.05         5.22           J14323-3557         325.47         22.73         60         0.34         0.07         0.20         0.09         5.14           J14495-4005         326.19         17.38         47         0.42         0.04         0.05         0.21         0.09         2.14           J14495-4005         326.19         17.38         47         0.75         0.05         0.21         0.06         2.06           J14562-3736         326.19         17.38         47         0.75         0.05         0.21         0.06         2.06           J15031-4149         35.37         30.87         47         0.75         0.05         0.01         0.05         2.01           J15042-4104         11.75         54.76         60         0.94         0.05         0.01         0.06		7Ci 1490 9 : 4059	) C		0.01
14239-3800         322.35         21.35         60         0.77         0.12         0.38         0.14         1.84           144239-3800         322.35         12.35         60         0.33         0.04         0.05         0.05         >2.2           144241-4803         318.54         11.38         60         0.33         0.04         0.05         0.05         >2.2           14424+375         67.66         67.71         20         1.13         0.19         0.30         0.23         >1.8           14435-3567         325.47         22.32         60         0.34         0.07         0.20         0.09         >1.4           14405-4005         326.19         17.38         47         0.42         0.04         0.05         0.21         0.09         >1.4           14405-4005         326.19         17.38         47         0.75         0.05         0.21         0.05         2.06           14405-4005         325.41         33.83         47         0.75         0.05         0.21         0.06         1.25           115073-27-414         335.42         14.61         60         0.41         0.05         0.21         0.06         1.25		ZWC1 1420.2+4932	٠ د	5	0.01
14239-3800 $322.35$ $21.35$ $60$ $0.77$ $0.12$ $0.38$ $0.14$ $1.84$ $114239-3800$ $322.35$ $21.35$ $60$ $0.33$ $0.04$ $0.05$		H 1419+480	∢	<u>7</u>	0.072
J14241-4803         318.54         11.98         60 $0.33$ $0.04$ $0.05$ $0.23$ $0.95$ $0.19$ $0.05$ $0.23$ $0.18$ $0.11$ $0.08$ $0.04$ $0.11$ $1.95$ $0.14$ $0.12$ $0.09$ $0.11$ $1.95$ $0.14$ $0.12$ $0.09$	99.0	1RXS J142149.8-380901			
14324+3753         Gr.66         G771         20         1.13         0.19         0.20         0.23         >1.8           14435-3557         325.47         22.32         60         0.34         0.07         0.20         0.09         >1.4           11435-3557         325.47         12.32         60         0.34         0.07         0.20         0.09         >1.4           114408-3815         325.47         19.77         60         0.73         0.07         0.28         0.08         2.26           114495-4005         326.19         17.38         47         0.75         0.04         0.18         0.06         0.04         0.18         0.06         1.26         0.09         >1.4           11495-4005         326.19         17.38         47         0.75         0.04         0.18         0.06         0.04         0.18         0.06         1.26         0.09         >1.4         0.05         0.05         0.00         0.06         1.26         0.00         0.06         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00		1RXS J142148.7-480420			
14408-3815         37.70         47.70         1.17         0.08         0.54         0.11         1.15           14435-357         325.47         19.77         60         0.34         0.07         0.28         0.08         2.26           14408-3815         325.47         19.77         60         0.73         0.07         0.28         0.08         2.26           14408-3815         325.47         19.77         60         0.73         0.07         0.28         0.08         2.06           14408-4005         326.19         17.38         47         0.75         0.05         0.01         0.08         2.06           14527-2414         335.37         30.87         47         0.75         0.05         0.21         0.06         2.06           115031-4149         327.68         14.61         60         0.41         0.05         0.30         0.06         1.25           115032+0406         11.75         54.76         60         0.73         0.05         0.24         0.05         2.01           115032+0406         11.75         54.76         60         0.73         0.05         0.24         0.05         0.24         0.05         2.01      <		A 1914	כ		0.17
114358-4420 $(1.75)$ $0.500$ $4f$ $1.1f$ $0.00$ $0.54$ $0.114$ $0.00$ $0.54$ $0.114$ $0.00$ <t< td=""><td></td><td>11 1405 : 498</td><td>&gt; &lt;</td><td>ī</td><td>13</td></t<>		11 1405 : 498	> <	ī	13
144353-3557         325.47         22.32         60         0.34         0.07         0.20         0.09         >1.44           144488-3815         325.47         19.77         60         0.73         0.07         0.28         0.08         2.26           144498-3815         325.47         19.77         60         0.75         0.05         0.01         0.08         2.06           114562-3736         328.66         18.96         60         0.41         0.05         0.01         0.06         1.25           115031-4149         327.68         14.61         60         0.04         0.05         0.06         1.25           115032+1046         11.75         54.76         60         0.95         0.14         0.32         0.16         1.25           115042+1046         11.75         54.76         60         0.95         0.14         0.32         0.16         2.01           115042+1046         11.75         54.76         60         0.61         0.10         0.07         0.12         0.16         2.01           115042+1046         11.75         54.49         8         4.32         0.17         0.05         0.12         0.05         1.12	0.35	H 1420+428	₹	70	61.0
114408-3815         325.47         19.77         60         0.73         0.07         0.28         0.08         2.26           114495-4005         326.19         17.38         47         0.42         0.04         0.18         0.05         2.06           114495-4005         326.19         17.38         47         0.75         0.05         0.21         0.06         2.06           114562-3735         328.66         18.96         60         0.41         0.05         0.30         0.06         1.25           115031-4149         327.68         14.61         60         0.95         0.14         0.32         0.06         1.25           11504-4257         327.82         14.61         60         0.07         0.04         0.05         0.06         1.25           11504-4257         327.82         14.61         60         0.07         0.04         0.05         0.06         2.91           115103-2042         31.25         60         0.61         0.07         0.07         0.12         3.44           115103-2042         31.31         60         0.24         0.05         0.07         0.12         3.44           115104-6541         6.43         <					
J14495-4005         326.19         17.38         47         0.42         0.04         0.18         0.05         2.06           J14527-2414         335.37         30.87         47         0.75         0.05         0.21         0.06         2.08           J14562-3735         328.66         18.96         60         0.41         0.05         0.21         0.06         2.08           J15031-4149         327.68         14.61         60         2.00         0.06         0.46         0.06         1.25           J15042+1046         11.75         54.76         60         0.95         0.14         0.32         0.16         2.01           J15042+1046         11.75         54.76         60         0.61         0.10         0.07         0.16         2.1           J15042-4104         11.75         54.76         60         0.61         0.10         0.05         0.16	0.47	1RXS J144037.4-384658			
114527-2414         335.37         30.87         47         0.75         0.05         0.21         0.06         2.68           114562-3735         328.66         18.96         60         0.41         0.05         0.23         0.06         1.25           114562-3735         328.66         18.96         60         0.41         0.05         0.06         1.25           115031-4149         327.68         14.61         60         0.95         0.14         0.32         0.16         2.91           115042+1046         11.75         54.76         60         0.61         0.14         0.32         0.16         2.71           115042-427         327.82         13.23         60         0.61         0.10         0.05         0.24         0.05         2.47           115104-0541         6.43         50.49         8         4.32         0.17         1.53         0.22         0.15         0.05         0.05         0.05         0.24         0.05         0.09         0.05         0.05         0.03         0.05         0.03         0.05         0.03         0.05         0.03         0.05         0.03         0.05         0.04         0.05         0.03         0.05	0.50				
J14562-3735         328.66         18.96         60         0.41         0.05         0.30         0.06         1.25           J15031-4149         327.68         14.61         60         2.00         0.06         0.46         0.06         2.91           J15042+1046         11.75         54.76         60         0.95         0.14         0.32         0.16         >2.1           J15076-4257         327.82         13.23         60         0.61         0.10         0.07         0.16         >2.47           J15103-2042         341.63         31.52         60         0.61         0.10         0.07         0.12         >1.5           J15110+0541         6.43         50.49         8         4.32         0.17         1.53         0.20         2.04           J151128-0858         351.39         40.22         38         0.59         0.03         0.05         0.02         2.0           J151128-0858         351.39         40.22         38         0.59         0.03         0.05         0.02         2.0           J15118-0858         351.39         10.11         60         0.24         0.05         0.09         0.06         0.13           J	0.42	1RXS J145017.6-242558	17	S	
J15031-4149         327.68         14.61         60         2.00         0.06         0.46         0.06         2.91           J15031-4149         327.68         14.61         60         0.95         0.14         0.32         0.16         >2.01           J15042+1046         11.75         54.76         60         0.95         0.14         0.32         0.16         >2.01           J15076-4257         327.82         13.23         60         0.73         0.05         0.24         0.05         2.47           J15103-2042         341.63         31.52         60         0.61         0.10         0.07         0.12         >1.53           J15110+0541         6.43         50.49         8         4.32         0.17         1.53         0.20         2.36           J151145-4551         327.36         10.11         60         1.27         0.17         0.09         0.05         0.12         0.05         0.12         0.05         0.12         0.05         0.12         0.05         0.12         0.05         0.12         0.05         0.12         0.05         0.12         0.05         0.12         0.05         0.12         0.05         0.12         0.12         0.12<	0.49	PKS 1451-375	4	RLO	0.32
J15031-4149         327.68         14.61         60         2.00         0.06         0.46         0.06         2.91           J15042+1046         11.75         54.76         60         0.95         0.14         0.32         0.16         >2.1           J15076-4257         327.82         13.23         60         0.73         0.05         0.24         0.05         2.47           J151076-4257         327.82         13.23         60         0.61         0.10         0.07         0.12         >1.5           J15108-0858         351.39         40.22         38         0.59         0.03         0.50         0.03         0.50         0.03         0.50         0.03         0.95         1.4         0.12         0.05         0.12         0.05         0.03         0.05         0.03         0.05         0.03         0.06         0.03         0.06         0.03         0.06         0.03         0.06         0.03         0.06         0.03         0.06         0.03         0.06         0.03         0.06         0.03         0.06         0.03         0.06         0.03         0.06         0.03         0.06         0.03         0.06         0.03         0.06         0.03	7	717 A 11456 9-3896	: C	<b>3</b>	2
J15031-4149         327.08         14.01         00         2.00         0.040         0.040         2.91           J15042+1046         11.75         54.76         60         0.95         0.14         0.02         0.16         0.00         2.91         0.00         2.91           J151076-4257         327.82         31.52         60         0.61         0.10         0.07         0.12         >1.5           J15110-0541         6.43         30.49         8         4.32         0.17         1.53         0.20         2.36           J15118-0858         351.39         40.22         38         0.59         0.01         0.07         0.12         >1.5           J15118-0858         351.30         40.22         38         0.59         0.03         0.05         0.02         2.30           J15118-0858         30.20         0.05         0.07         0.07         0.05         0.03         0.06         0.01         0.06         0.01         0.05         0.02         0.03         0.06         0.01         0.06         0.01         0.06         0.03         0.06         0.03         0.06         0.01         0.06         0.03         0.03         0.03         0.03 </td <td>1</td> <td>0101 01400-1-0050</td> <td>) <u>-</u></td> <td></td> <td></td>	1	0101 01400-1-0050	) <u>-</u>		
J15042+1046         11.75         54.76         60         0.95         0.14         0.32         0.16         >2.1           J15076-4257         327.82         13.23         60         0.73         0.05         0.24         0.05         2.47           J15103-2042         341.63         31.52         60         0.61         0.10         0.07         0.12         >1.5           J15128-0858         351.39         40.22         38         0.59         0.03         0.50         0.03         0.30         0.30           J15128-0858         351.39         40.22         38         0.59         0.017         0.00         0.02         0.30           J15145-4551         327.36         10.11         60         0.24         0.05         0.03         0.05         0.03         0.03         0.03         0.05         0.03         0.05         0.03         0.05         0.03         0.05         0.03         0.05         0.03         0.05         0.03         0.05         0.03         0.05         0.03         0.03         0.03         0.03         0.03         0.03         0.03         0.03         0.03         0.03         0.03         0.03         0.03         0.03	 	000100	<u>-</u>		0
J15076-4257         327.82         13.23         60         0.73         0.05         0.24         0.05         2.47           J15103-2042         341.63         31.52         60         0.61         0.10         0.07         0.12         >1.5           J15110+0541         6.43         50.49         8         4.32         0.17         1.53         0.20         2.36           J15128-0858         351.39         40.22         38         0.59         0.03         0.50         0.03         0.05         0.09         0.06         0.31         0.06         0.02         0.09         0.00         0		MKK 841	¥	7	0.030
J15103-2042         341.63         31.52         60         0.61         0.10         0.07         0.12         >1.5           J15110+0541         6.43         50.49         8         4.32         0.17         1.53         0.20         2.36           J15128-0858         351.39         40.22         38         0.59         0.03         0.50         0.03         0.96           J15153-802         331.80         16.64         60         0.24         0.05         0.09         0.06         >1.3           J15179-3559         333.44         18.05         60         0.12         0.05         0.12         0.06         >1.3           J15348+5750         91.50         48.10         60         0.24         0.05         0.17         0.06         >1.4           J15360-4118         333.24         11.68         60         0.27         0.06         0.17         0.07         1.4           J15360-4118         33.3.74         11.68         60         0.27         0.06         0.17         0.07         1.4           J16019-7548         31.3.66         17.16         10         0.12         0.18         0.11         1.4           J16019-7548         <	0.36				
J15110+0541         6.43         50.49         8         4.32         0.17         1.53         0.20         2.36           J15128-0858         351.39         40.22         38         0.59         0.03         0.50         0.03         0.96           J15145-4551         327.36         10.11         60         1.27         0.17         0.00         0.20         >2.2           J15153-3802         331.80         16.64         60         0.24         0.05         0.09         0.06         >1.3           J15179-3559         333.44         18.05         60         0.12         0.05         0.12         0.06         >1.3           J15348+5750         91.50         48.10         60         0.68         0.07         0.17         0.06         >1.4           J15360-4118         333.24         11.68         60         0.27         0.06         0.17         0.07         1.4           J15360-4118         333.24         11.68         60         0.27         0.06         0.17         0.07         1.4           J15019-7548         313.86         -17.16         10         0.12         0.08         0.17         2.29           J16029-7302	_	IRAS 15091-2107	¥.	NLS1	0.045
J15128-0858         351.39         40.22         38         0.59         0.03         0.50         0.03         0.96           J15145-4551         327.36         10.11         60         1.27         0.17         0.00         0.20         >2.2           J15153-3802         333.84         18.05         60         0.12         0.05         0.09         0.06         >1.3           J15179-3559         333.44         18.05         60         0.12         0.05         0.12         0.06         >0.3           J15348+5750         12.61         49.67         60         0.68         0.07         0.17         0.06         >0.3           J15360-4118         333.24         11.68         60         0.27         0.06         0.17         0.07         1.44           J15360-4118         333.24         11.68         60         0.27         0.06         0.17         0.07         1.44           J15360-4118         333.24         11.68         60         0.27         0.06         0.17         0.07         1.44           J15019-7548         313.86         -17.16         10         1.26         0.12         0.08         0.12         1.99 <t< td=""><td>0.20</td><td>A2029</td><td>Ö</td><td></td><td>0.077</td></t<>	0.20	A2029	Ö		0.077
J15145-4551         327.36         10.11         60         1.27         0.17         0.00         0.20         >2.2           J15153-3802         333.80         16.64         60         0.24         0.05         0.09         0.06         >1.3           J15179-3559         333.44         18.05         60         0.12         0.05         0.12         0.06         >1.3           J15228+0829         12.61         49.67         60         1.49         0.17         0.20         0.19         >2.6           J15348+5750         91.50         48.10         60         0.68         0.07         0.37         0.09         1.71           J15360-4118         333.24         11.68         60         0.27         0.06         0.17         0.07         1.44           J15382+2716         44.28         48.71         7         4.56         0.23         2.08         0.26         1.99           J16019-7548         313.86         -17.16         10         1.26         0.12         0.18         0.11         >3.1           J16049-7302         315.99         -15.29         60         0.40         0.02         0.06         0.25         >2.6	0.16	PKS 1510-08	A	BL	0.36
J15153-3802         331.80         16.64         60         0.24         0.05         0.09         0.06         >1.3           J15179-3559         333.44         18.05         60         0.12         0.05         0.12         0.06         >0.3           J15228+0829         12.61         49.67         60         1.49         0.17         0.20         0.19         >2.6           J15348+5750         91.50         48.10         60         0.68         0.07         0.37         0.09         1.71           J15360-4118         333.24         11.68         60         0.27         0.06         0.17         0.07         1.44           J15478-1350         354.77         30.76         60         1.06         0.14         0.39         0.17         2.29           J16019-7548         313.86         -17.16         10         1.26         0.23         2.08         0.26         1.99           J16020+1607         29.07         44.63         38         2.00         0.23         0.46         0.25         >2.6           J16058+6014         92.06         43.46         60         0.40         0.09         0.00         0.00         0.09         >2.6		CIZA J1514.6-4558	Ü		0.058
J15179-3559         333.44         18.05         60         0.12         0.05         0.12         0.06         >0.3           J15228+0829         12.61         49.67         60         1.49         0.17         0.20         0.19         >2.6           J15348+5750         91.50         48.10         60         0.68         0.07         0.37         0.09         1.71           J15360-4118         333.24         11.68         60         0.27         0.06         0.17         0.07         1.44           J15478-1350         354.77         30.76         60         1.06         0.14         0.39         0.17         2.29           J16019-7548         313.86         -17.16         10         1.26         0.23         2.08         0.26         1.99           J16020+1607         29.07         44.63         38         2.00         0.23         0.46         0.25         >2.6           J16049-7302         315.99         -15.29         60         0.40         0.09         0.30         0.10         1.20           J16058+6014         92.06         43.46         60         0.27         0.02         0.00         0.03         >2.8					
J15228+0829         12.61         49.67         60         1.49         0.17         0.20         0.19         >2.6           J15328+5750         91.50         48.10         60         0.68         0.07         0.37         0.09         1.71           J15360-4118         333.24         11.68         60         0.27         0.06         0.17         0.07         1.44           J15478-1350         354.77         30.76         60         1.06         0.14         0.39         0.17         2.29           J16019-7548         313.86         -17.16         10         1.26         0.12         0.18         0.11         >3.1           J16020+1607         29.07         44.63         38         2.00         0.23         0.46         0.25         >2.6           J16049-7302         315.99         -15.29         60         0.40         0.09         0.30         0.10         1.20           J16058+6014         92.06         43.46         60         0.27         0.02         0.00         0.03         >2.8					
J15348+5750       91.50       48.10       60       0.68       0.07       0.37       0.09       1.71         J15360-4118       333.24       11.68       60       0.27       0.06       0.17       0.07       1.44         J15582+2716       44.28       48.71       7       4.56       0.23       2.08       0.26       1.99         J16019-7548       313.86       -17.16       10       1.26       0.12       0.18       0.11       >3.1         J16049-7302       315.99       -15.29       60       0.40       0.09       0.30       0.10       1.20         J16058+6014       92.06       43.46       60       0.27       0.02       0.00       0.03       >2.0		A2063	<u>ت</u>		0.035
91.50         48.10         60         0.68         0.07         0.37         0.09         1.71           333.24         11.68         60         0.27         0.06         0.17         0.07         1.44           354.77         30.76         60         1.06         0.14         0.39         0.17         2.29           44.28         48.71         7         4.56         0.23         2.08         0.26         1.99           313.86         -17.16         10         1.26         0.12         0.18         0.11         >3.1           29.07         44.63         38         2.00         0.23         0.46         0.25         >2.6           315.99         -15.29         60         0.40         0.09         0.30         0.10         1.20           316.99         -15.29         60         0.40         0.02         0.00         0.03         >2.06		MKW 3S	Ö		0.045
333.24         11.68         60         0.27         0.06         0.17         0.07         1.44           354.77         30.76         60         1.06         0.14         0.39         0.17         2.29           44.28         48.71         7         4.56         0.23         2.08         0.26         1.99           313.86         -17.16         10         1.26         0.12         0.18         0.11         >3.1           7         29.07         44.63         38         2.00         0.23         0.46         0.25         >2.6           315.99         -15.29         60         0.40         0.09         0.30         0.10         1.20           4         92.06         43.46         60         0.27         0.02         0.00         0.03         >2.8	0.44	MRK 290	¥	S1	0.030
354.77         30.76         60         1.06         0.14         0.39         0.17         2.29           44.28         48.71         7         4.56         0.23         2.08         0.26         1.99           313.86         -17.16         10         1.26         0.12         0.18         0.11         >3.1           7         29.07         44.63         38         2.00         0.23         0.46         0.25         >2.6           315.99         -15.29         60         0.40         0.09         0.30         0.10         1.20           4         92.06         43.46         60         0.27         0.02         0.00         0.03         >2.8	0.83				
6         44.28         48.71         7         4.56         0.23         2.08         0.26         1.99           7         29.07         44.63         38         2.00         0.23         0.46         0.25         >2.6           315.99         -15.29         60         0.40         0.09         0.30         0.10         1.20           4         92.06         43.46         60         0.27         0.02         0.00         0.03         2.03         2.03	0.69	NGC 5995	A	S2	0.025
J16019-7548     313.86     -17.16     10     1.26     0.12     0.18     0.11     >3.1       J16020+1607     29.07     44.63     38     2.00     0.23     0.46     0.25     >2.6       J16049-7302     315.99     -15.29     60     0.40     0.09     0.30     0.10     1.20       J16058+6014     92.06     43.46     60     0.27     0.02     0.00     0.03     >0.03     >2.8	0.21	A2142	Ü		0.089
J16020+1607     29.07     44.63     38     2.00     0.23     0.46     0.25     >2.6       J16049-7302     315.99     -15.29     60     0.40     0.09     0.30     0.10     1.20       J16058+6014     92.06     43.46     60     0.27     0.02     0.00     0.03     >2.8		CIZA 11601.7-7544	- C		0.15
J16020+1607     29.07     44.63     38     2.00     0.23     0.40     0.25     >2.5       J16049-7302     315.99     -15.29     60     0.40     0.09     0.30     0.10     1.20       J16058+6014     92.06     43.46     60     0.27     0.02     0.00     0.03     >2.8		10117 1001:1-10**	) (		27.0
J16049-7302         315.99         -15.29         60         0.40         0.09         0.30         0.10         1.20           J16058+6014         92.06         43.46         60         0.27         0.02         0.00         0.03         >2.8		A214(	<u>-</u>		0.033
116049-7302 $315.99$ $-15.29$ $60$ $0.40$ $0.09$ $0.30$ $0.10$ $1.20$ $116058+6014$ $92.06$ $43.46$ $60$ $0.27$ $0.02$ $0.00$ $0.03$ $>2.8$	i	Gin 403	₹		11.0
$116058+6014 \mid 92.06 \mid 43.46 \mid 60 \mid 0.27 \mid 0.02 \mid 0.00 \mid 0.03$	0.73	- 1	1		
		GRB 971209	0		
0.56 0.14 0.25 0.16 >1.1		1RXS J161519.2-093618, 1H 1613-097			
0.19 1.10 0.22 1.55	0.38	A2163	<u>ت</u>		0.20
348.55 15.88 38 2.38 0.16 0.96 0.18 2.18	0.31	V893 Sco		DN	
350 10 93 70 13 131/0 73 36 39 3070 04 A0 38 9 01	0.00	Sco X-1	ı <u>-</u> -	X	

2	=			;	=					_											_					-			•										_	_			
	0 10	0.10	11.0		060	0.00	7	0.10	7000	0.60	6000	0.000		0.031	}		0.056		0.081	0.0037	0.22	0.16	0.16		0.055	0.18		0 10	3			0.088				0.30	3		0.065		0.059		0.020
Class?	11 10	DUNG	_			4	2				ā	70	ХR	. S	}			XB		22					BL	200		RLO	}		Ъ			DN	Д	ROO	,			ХВ	BLRG	ХВ	22
Class	V	<b>د</b> د	י כ	> -	ء د	<u>ـ</u> ــ د	a C	י כ	כ כ	כ כ	> <	¢	_	<b>A</b>	Ö		ပ ,	٦	D	A	Ü	Ö	Ö		Α.	∢		4	;		1	Ö	0	1		A		C	Ö		V	ם	V V
Common name	SBS 1624+514	CIZA .11626.3-3329	CIZA 11627 9-2959	Rho Onh cloud	A2199	41) 1627-673	A3628	Triangulum Australis	A2219	CIZA 11645 4-7334	MRK 501	1H 1652-180	Her X-1	UGC 10683	ZwCl 1703.8-0129	1KXS J170211.0-010118	A2256	40 1700+24	A2255	NGC 6300	A2261	1RXS J172009.3+263727	AZZ59	11.03 J1 (1650.0-73252)	I Zw 187	FDS 450 1DVG 1172001 E OFFICES 111 1700 OFFI	11.7.5 J.1.60.21.9-055955, IR 17.20-058	4C +18.51	1RXS J174527.8+110837=JRAS F17431+1109		V2301 Oph	CIZA J1804.1+0042	GRB 970828	V426 Oph	AM Her	H 1821+643		CIZA J1824.1+3029	CIZA J1825.3+3026	4U 1822-371	3C 382	XB 1832-330	Fairall 49
dr	ľ	0.44	99.0	090	0.42	0.03	0.55	0.08	0.51	0.81	0.02	0.60	0.02			,	0.16	0.07		0.58					0.82	80.0		0.62		0.79	0.30	0.75		0.77	0.13		0.43	29.0		0.05	0.21	0.02	0.73
L	>0.8	2.46	1.98	3.13	3.17	0.72	2.25	2.14	1.97	1.77	1.70	1.29	0.23	>2.2		,	2.25	0.00	>1.9	0.50	>1.7	>1.7	7	1.1	1.60	7.00	>1.5	2.12	< 4.7	1.50	1.68	1.89	<u></u>	1.64	1.21	>2.1	0.13	2.53	,	1.00	1.53	1.58	2.34
$dF_2$	0.08	0.16	0.09	0.15	0.24	0.09	0.13	0.14	0.09	0.12	0.05	0.17	0.09	0.21			0.13	0.44	0.13	0.14	0.14	0.17	- 8	60.0	0.15	97.0	0.10	0.25	0.27	0.12	0.12	0.14	0.03	0.26	0.14	0.16	0.12	0.12		0.23	0.15	0.03	0.00
$F_2$	0.20	0.55	0.23	0.35	0.75	10.16	0.39	3.30	0.32	0.26	5.19	0.58	11.52	0.31		- 10	1.07	0.04	0.13	0.51	0.31	0.32	77.0	# 1.0	0.35	0.10	0.17	0.65	0.13	0.30	0.74	0.33	-0.03	0.63	2.38	0.21	0.50	0.27					0.30
$\mathrm{d}F_1$	0.07	0.14	0.07	0.13	0.23	0.00	0.11	0.14	0.08	0.00	0.04	0.15		0.18		13	0.10	0.10	0.11	0.11	0.12	0.15	80 0	00.0	0.12	0.00	0.08	0.18	0.22	0.09	0.10			0.21	0.12	0.13	0.09	0.11	_		0.13	0.04	0.00
$I_1$	0.25	1.66	0.51	1.81	3.98	10.20	1.02	7.95	0.70	0.51	9.46	0.82	8.06	1.27		2 2 2	00.0	* 0	0.00	0.44	0.02	0.78	38	200	0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0	00:00	0.43	1.56	0.26	0.49	1.33	29.0	0.11	1.12	3.21	0.00	0.32	0.87		33.44	2.29	10.74	7.7
Err(')	09	09	09	09	6	'n	99	9	99	09	ıs	9	3	9		-1	- u	- S	3 8	3 5	3	09	9	3 6	9 6	8 9	8 9	47	09	09	09	9	09	35	~	09	09	09	_	_	<b>-</b> -		- -
9	43.25	11.07	13.46	16.79	43.94	-13.13	-18.18	-11.56	41.74	-17.44	38.90	15.30	37.46	22.98		21 70	32 86	00.70	04.90	-13.89	07.70	30.65	-10 73		33.71 11 46	14.93	-12.15	23.62	19.26	-10.42	15.26	11.08	28.60	12.53	25.88	27.71	-18.62	18.91	5	-11.20	17.47	-11.44	-61.66
7	80.16	346.47	349.14	353.18	62.97	321.74	315.85	324.56	73.28	317.82	63.72	1.50	58.20	18.90	-	110 00	45 19	70.77	14.41	528.12	30.12	49.61	319.60	22.22	10.54	18.11	338.00	42.84			34.62	28.32	88.50	33.72	78.08	94.60	338.49	58.43		_		1.33	
Name	XSS J16253+5201	XSS J16265-3303	XSS J16265-2931	XSS J16271-2423	XSS J16273+3935	XSS J16323-6730	XSS J16345-7506	XSS J16384-6424	XSS J16385+4711	XSS J16431-7310	XSS J16536+3951	XSS J16537-1905	XSS J16581+3522	XSS J17046-0110		XSS J17050+7838	XSS 117070+1950	YCC 117115 6496	VGC 117160 6920	VSC 117914 9990	8070+11711C CCV	A55 J17214+2653	XSS J17223-7301		XSS J17276-1359	XSS J17309-0552	XSS J17413-5354	XSS J17413+1851	XSS J17459+1115	XSS J17576-4534	XSS J17597+0821	XSS J18036+0100	ASS J18076+5937	ASS 518080+0622	XSS J18164+5004	XSS J18196+6454		XSS J18239+3041	VGC 110950 9700	VGC 118248 1 2028	XSC 118360 2200	118369 5010	0160-700016

_	•	0	Err(')	$F_1$	$dF_1$	$F_2$	$dF_2$	-	ď	Common name	Class1	Class2	2
XSS J18376-6511	330.00	-23.04	47	1.27	0.07	0.98	0.08	1.13	0.18	ESO 103-G035	¥	S2	0.013
XSS J18381-5653	338.60	-20.72		0.33	0.12	0.36	0.15	>0.3	1			6	,
XSS J18408+7947	111.45	27.13	9 8	99.7	0.02	0.97	0.03	7.60 1.60	0.07	3C 390.3	Α.	BLKG	0.056
XSS J18449-6204	333.50	-23.02	200	0.78	0.11	0.35	0.13	2.01	0.65	ESO 140-G043	A	S.	0.014
	8.43	-11.30	74	0.7 4.7	0.14	0.52	0.10	VI.0	L C	000	•	5	į
	315.79	-20.44	4.6	1.15	0.03	20.0	0.11	1.83	0.35	H 1840-786	A	Z.	0.074
J18553-3111	4.95	-14.42	9	98.9	0.13	5.24	0.12	1.16	90.0	gr	,	Ш	
J19052+5212	82.59	19.11	99	0.36	0.14	90.0	0.18	^0		CG Dra	r	DN	
	337.98	-26.61	10	1.37	0.12	08.0	0.15	1.61	0.36	ESO 141-G055	¥	$\mathbf{S}_1$	0.036
6	75.71	13.54	9	9.57	0.13	3.74	0.13	2.23	90.0		C		0.056
XSS J19243+5041	89.26	15.78	09	92.0	0.11	0.05	0.14	0.30	0.30	5	·	SS	
XSS J19303-7950	314.33	-28.38	99	0.69	0.12	0.33	0.15	>1.9	?	94944.6-794519	1	2	-
XSS 119397-1019	20.00	15.36	3 6	1 30	200	1 17	000	1 5	0.16	V1432 Acil	<b>,</b>	Д	
2010		20:01	3	3	 		3	2	2	NGC 6814	. 4	. 5.	0.0052
VSS 119419-7619	318 28	-20 23	9	0.40	000	-0.04	11.0	716		A A Oct	: -	. v.	1
119459±4508	78.80	10.08	3 5	0.38	00.0	38.0	0.12	0.73	0.68		3	<u> </u>	
11950246505	02.00	17.71	3 %	4 11	0.03	111	0.12	9.79	0.00	1ES 1959±650	٧	RI.	0.047
120085-4833	350 67	32 43	, LC	3.80	0.07	2.66	21.0	1.31	90 0	PKS 2005-489	; ∢	H.	0.071
120114-5648	340.89	-33 25	o oc	3 6	0.0	1.39	0.0	2.36	0.00	A3667	; C	}	0.056
12034812157	64 71	10 00	· &	0.23	0.16	0.40	0.70	38	2 2 2	4C ±21 55	) <b>4</b>	BC	
120404-7521	1001	10.22	3 6	30.1	0.13	0.53	0.20	1.50	0.01	4C ±74 26	. 4	PI.O	0.10
120426-3225	11.19	-36.49	8 9	0.49	0.10	0.03	0.10	>1.7		AT Mic	: -	) V:	3
120441-1042	35 99	-20 84	2	3 13	0.10	1.68	0 10	1 73	0.12	MBK 509	۷ د	· 57	0.034
120501-5646	340.42	-38.53	. 09	0.71	0.12	0.65	0.15	0.85	0.50	IC 5063	; ∢	\$25	0.011
121128+8216	116 11	22.40	9	0.46	0 12	0.35	21.0		?	\$5 2116+81	. 4	BLRG	0.084
121155-5836	337 11	41 43	47	0.40	800	0.31	07:0	1.36	0.63	CD Ind	: <u>-</u> -	7	
191919-0607	45.83	25 03	ı v	0 03	0.00	8 67	0.00	200	90.0	XTT 19192.058	1 -	χ	
191906   1908	60.03	20.00	5 Lf	15.00	0.16	20.0	0.40	0.04	0.00	MIE/AII 9197±110	· -	2 2	
191310 6910	321 58	41.08	9	0.50	0.10	0.00	0.13	3 7	*50:0	IR A C 1701205 6027	> د	2 2	0.050
191354.9790	20.88	46.73	3 8	00.00	0.10	0.10	0.12	1.5	0.87	1BXS 1913445 9-979551 1H 9139-977	¢	5	2000
191445±3893	27.35	11.94	3 14	568 51	9.03	153 18	0.10	9.73	0.0	Cur X.9	,	ХВ	
121481-3036	16.69	40 00	9	0.72	0.13	08.0	2.0	0.56	0.01	43814	ם כ	3	0.19
· · · · · · · · · · · · · · · · · · ·	2	3	}		2	)	}	2	;	RX 12146 6-3051	> ▼	5	0.076
										PKS 2149-306	; ∢	BI,	2.35
XSS J21583-3004	17.95	-52.11	r.	5.04	0.05	2.07	0.03	2.15	0.03	PKS 2155-304	∀ ∀	BI.	0.12
XSS J22013-3147	15.24	-52.90	20	1.17	0.00	0.80	0.07	1.35	0.18	NGC 7172	۷ ۲	S	0.0086
XSS J22023+4226	92.63	-10.26	30	0.61	0.03	0.37	0.04	1.54	0.21	BL Lac	¥	BL	0.069
XSS J22082-4708	349.70	-52.42	18	1.12	0.16	0.57	0.18	1.83	0.58	NGC 7213	· •	52	0.0060
XSS J22088-1159	46.47	-49.06	09	0.70	0.08	0.12	0.09	>2.6		A2420	ני		0.085
199190±1930	73 75	34 66	47	1 37	7 7 7	0.51	0.17	9.15	0.56	RII Dea	_ ر	NC	3
6071463	2	07:50-	ř	¥7:1	01.5	10.0	3	01.7	3	001 001 001 001 001 001 001 001 001 001	ع د	1	7
10000	01.0	06 07	9	60	0	21.0	000	30.6	09	A 2424	ی د		0.10
CCV 324140-0909	90.10	67.64-	3	6.93	0.0	0.10	0.0	07.0	0.00	A 2420	ט כ		0.10
XSS 122178-0822	52 95	-49 14	7	2.41	0.07	2.27	80.0	0.81	000	FO Agr	نہ د	<u>e</u>	0000
	2			1	-		2			1611	ָ	**	

0.053

CP Tuc NGC 7582 A4038 II Peg A4059

P \$2

0.047

RS CVn

Table 2 - continued										
Name	-	q	Err(')	$F_1$	$dF_1$	$F_2$	$dF_2$	Ĺ	Ą	
XSS J22363-1230	51.03	-55.18	09	0.79	0.16	0.50	0.21	1.46	0.81	
XSS J22423+2958	92.21	-25.08	38	1.13	0.03	0.35	0.02	2.53	0.12	
XSS J22461-6410	322.67	-47.87	09	0.65	0.11	0.17	0.13	× 1×		
XSS J22526+1650	86.27	-37.43	43	1.96	0.04	0.83	0.05	2.09	0.10	
XSS J22539-1735	46.14	-61.29	10	2.10	0.11	1.36	0.12	1.43	0.18	
XSS J22551-0309	68.65	-53.31	∞	2.20	0.00	1.33	0.10	1.54	0.15	
XSS J23033+0858	83.22	-45.39	26	1.69	0.01	0.91	0.01	1.73	0.03	
XSS J23040-0834	64.05	-58.56	09	1.61	0.08	1.06	0.11	1 41	0.20	
XSS J23073+0447	80.76	-49.36	09	0.54	0.10	0.36	0.11	1.39	0.65	
XSS J23101-2204	39.74	-66.48	09	0.67	0.15	0.30	0.18	>1.2	3	
XSS J23115-5922	324.10	-53.44	09	0.64	0.14	0.12	0.16	>1.4		
XSS J23178-4236	347.70	-65.48	47	0.58	0.03	0.41	0.04	1.27	0.21	
XSS J23449-2826	23.98	-75.24	09	0.93	0.17	0.12	0.21	>1.6	1	
XSS J23556+2848	108.42	-32.48	47	0.71	0.08	0.05	0.08	>2.7		
XSS J23557-3405	359.31	-76.15	47	0.71	0.11	0.11	0.15	>1.7		
			-						-	

0.025 0.094

Class1

Common name

**MRK 915** 

**AKN 564** 

A3921

0.016 0.0470.042

RS CVn RQQ IP S1 S1 S1 S1 BL

NGC 7469

AO Psc

**MRK 926** 

 $0.14 \\ 0.087$ 

CLCACCAAACA

A2556

PG 2304+042 MS 2306.1-2236

0.064

MR 2251-178

- Direct examination of the ROSAT all-sky survey map reveals a source coinciding with the AGN - Véron-Cetty et al. 2001

- Véron-Cetty & Véron 2003

- or BL Lac object, Fischer et al. 1998

5 - located in LMC

- Pellegrini et al. 2000 6 - Alcala et al. 1995

8 - Schmid et al. 2003, Della Ceca et al. 1990

9 - Brinkmann et al. 1997
 10 - Simpson et al. 1996

<sup>11</sup> - Imanishi et al. 2001

12 - Laurent-Muchleisen et al. 1997 13 - Lara et al. 1999